

SHELDON RICHFORD STP BIKE (17) S

INDEX OF SHEETS

- 1 TITLE SHEET
- 2 TYPICAL SECTIONS AND DETAILS SHEET 1
- 3 TYPICAL SECTIONS, DETAILS AND GENERAL NOTES SHEET 2
- 4 QUANTITY SHEET
- 5-6 PROJECT LAYOUT
- 7-8 CONSTRUCTION SIGN PLAN
- 9-17 LAYOUT SHEETS
- 18 BRIDGE DETAIL SHEET
- 19 FENCE DETAILS
- 20 TYPICAL TRAFFIC SIGN PLACEMENT
- 21 TRAFFIC SIGN DETAILS
- 22-43 TRAFFIC SIGN SUMMARY SHEET

STANDARDS

- D-3 TREATED GUTTERS 6/1/94
- D-8 REINFORCED CONCRETE DROP INLET WITH PRECAST COVER 6/1/94
- E-10 TYPICAL MINOR MAINTENANCE OPERATION
- E-100 APPROACH SIGNS 8/8/95
- E-100 CONSTRUCTION APPROACH SIGNS 8/8/95
- E-121 STANDARD SIGN PLACEMENT - CONVENTIONAL ROAD 8/8/95
- E-140 REGULATORY SIGN DETAILS 8/10/95
- E-142 REGULATORY SIGN DETAILS 9/20/95
- E-143 REGULATORY SIGN DETAILS 9/20/95
- E-150 WARNING SIGN DETAILS 1/13/97
- E-152 WARNING SIGN DETAILS 8/5/95
- E-160 FLANGED CHANNEL STEEL SIGN POST 8/18/95
- F-1 WOVEN WIRE FENCE WITH STEEL POSTS 6/1/94
- F-2 CHAIN LINK FENCE 6/1/94

STATE OF VERMONT AGENCY OF TRANSPORTATION





PROPOSED IMPROVEMENT COUNTY OF FRANKLIN TOWNS OF SHELDON, ENOSBURG BERKSHIRE & RICHFORD TRANSPORTATION PATH

BEGINNING AT THE RAILROAD BRIDGE OVER THE MISSISQUOI RIVER AT RAILROAD MM 10.04 IN THE TOWN OF SHELDON
AND CONTINUING NORTH ALONG THE RAILROAD BED THROUGH ENOSBURG, BERKSHIRE, AND RICHFORD.

LENGTH OF PROJECT 91,344 FEET = 17.30 MILES

WORK TO BE PERFORMED INCLUDES CUTTING BRUSH, REGRADING OLD RAILROAD BED, SIGNING, FENCING, WOOD BRIDGE DECKS,
AND PLACING FINE CRUSHED STONE SURFACE COURSE (10' WIDE) ALONG OLD RAILROAD BED AS DIRECTED.



CONVENTIONAL SIGNS

- COUNTY LINE
- TOWN LINE
- LIMITS OF ACCESS
- POINT OF ACCESS
- TRICE LINE
- STONE WALL
- TRAVELED WAY
- GUARD RAIL
- RAILROAD
- SURVEY LINE
- CULVERT
- POWER POLE
- TELEPHONE POLE
- TREES
- CONTROL OF ACCESS
- PROPERTY LINE
- SLOPE TAKING LINE
- SLOPE RIGHTS
- TOP OF CUT
- TOE OF SLOPE

DATUM
VERTICAL N/A
HORIZONTAL N/A



Richard L. Starnes
ENGINEER'S SIGNATURE

8-15-96
DATE

THESE PLANS ARE SUBJECT TO SUCH ENGINEERING
CHANGES AS MAY BE REQUIRED BY THE FEDERAL HIGHWAY
ADMINISTRATION OR THE CHIEF ENGINEER.
CONSTRUCTION IS TO BE CARRIED ON IN ACCORDANCE
WITH THESE PLANS AND THE STANDARD SPECIFICATIONS
FOR CONSTRUCTION DATED 1990, AS APPROVED BY THE
FEDERAL HIGHWAY ADMINISTRATION ON MARCH 15, 1990
FOR USE ON THIS PROJECT, INCLUDING ALL SUBSEQUENT
REVISIONS AND SUCH REVISED SPECIFICATIONS AND
SPECIAL PROVISIONS AS ARE INCORPORATED IN THESE
PLANS.

APPROVED *[Signature]* DATE 4/15/97
DIRECTOR OF RAPT


DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



APPROVED *[Signature]* DATE
DIVISION ADMINISTRATOR

PROJECT SHELDON-RICHFORD
TRANSPORTATION PATH


PROJ. NO. STP BIKE (17) S

SHEET 1 OF 43 SHEETS






EYE HOOK DETAIL



OPEN POSITION

GENERAL NOTES

1. THE RIGHT OF WAY FOR THE TRANSPORTATION PATH IS APPROXIMATELY 50 FEET EACH SIDE OF THE PATH CENTERLINE. THIS SHALL BE THE LIMITS OF CONSTRUCTION.
2. THE CENTERLINE FOR THE TRANSPORTATION PATH SHALL BE ESTABLISHED DURING CONSTRUCTION AS THE MEASURED MID-POINT OF VISIBLE RAILBED, UNLESS OTHERWISE DIRECTED BY THE RESIDENT ENGINEER. CONTRACTOR SHALL STAKE OUT THE CENTERLINE AT LEAST EVERY 250 FEET. IRREGULARITIES IN THE CENTERLINE SHALL BE VERIFIED BY THE RESIDENT ENGINEER AND CORRECTED.
3. SOLID WASTE (SHOWN ON PLAN SHEETS) SHALL BE REMOVED AND DISPOSED OF IN AN APPROVED LANDFILL AS A PAY BY THE TON ITEM, ITEM NO. 681.10. THE RESIDENT ENGINEER SHALL ATTEMPT TO LOCATE THE OWNERS OF ABANDONED VEHICLES AND MECHANICAL EQUIPMENT WITHIN THE RIGHT OF WAY PRIOR TO THE CONTRACTOR REMOVING THEM.
4. THE CONTRACTOR SHALL CONTACT ALL UTILITIES BEFORE EXCAVATION TO VERIFY THE LOCATION OF ANY UNDERGROUND LINES. THE CONTRACTOR SHALL NOTIFY "DIG SAFE" AT 1-800-225-4977 PRIOR TO BEGINNING ANY EXCAVATION, SEE SPECIAL PROVISIONS.
5. ANY SURFACES, LINES, OR STRUCTURES WHICH HAVE BEEN DAMAGED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED TO THE CONDITION AT LEAST EQUAL TO THAT IN WHICH THEY WERE FOUND IMMEDIATELY PRIOR TO THE BEGINNING OF CONSTRUCTION.




ALL COMPACTION METHODS AND DENSITIES AS SPECIFIED IN VAOT'S STANDARD SPECIFICATIONS FOR CONSTRUCTION 1990, OR AS APPROVED BY THE RESIDENT ENGINEER

TYPICAL CULVERT INSTALLATION DETAIL

DRIVE GATE FOR WOVEN WIRE FENCE (MODIFIED) AT TOWN HIGHWAY CROSSINGS

FRAMES FOR GATES SHALL BE MADE FROM STEEL TUBING NOT LESS THAN 1.31" O.D. WITH 3/32" SHELL THICKNESS
WIRE FOR GATES SHALL CONFORM TO REQUIREMENTS AS PER SECTION 620
ALL END, CORNER, AND STEEL POSTS SHALL BE SET IN CONCRETE CLASS B



SKewed PATH CROSSING

DATUM	
VERTICAL	N/A
HORIZONTAL	N/A

PLAN NOT TO SCALE

TYPICAL SECTIONS DETAILS AND GENERAL NOTES SHEET 2

DRAWN BY	N/A	DATE	N/A
SQUAD LEADER	SDT	DATE	3/6/96
DESIGN FILE NO.	DETSHT2.DWG		
FILE		DATE	7-2-96
PROJ. NAME	SHELDON-RICHFORD		
PROJ. NO.	STP BIKE (17) S		
SHEET	3 OF 43 SHEETS		

QUANTITIES

APPROXIMATE SUMMARY OF QUANTITIES

QUANTITIES TOTAL	UNITS	ITEMS	ITEM NO.	ROUNDING
1	LUMP SUM	CLEARING AND GRUBBING (MODIFIED)	201.10	
25	EACH	REMOVING SMALL TREES (MODIFIED)	201.15	EST.
3	EACH	REMOVING LARGE TREES (MODIFIED)	201.16	EST.
2	ACRES	THINNING AND TRIMMING (MODIFIED)	201.30	
9150	CY	AGGREGATE SURFACE COURSE (MODIFIED)	401.10	
310	TONS	BITUMINOUS CONCRETE PAVEMENT	406.25	
2	CUBIC YARD	CONCRETE, CLASS B	501.25	
48.5	MFBM	STRUCTURAL LUMBER AND TIMBER - TREATED	522.25	EST.
56	LINEAR FEET	60" RCP (MODIFIED)	601.0865	
140	LINEAR FEET	18" CPEP; SL (MODIFIED)	601.0915	
44	LINEAR FEET	24" CPEP; SL (MODIFIED)	601.0920	
50	LINEAR FEET	30" CPEP; SL (MODIFIED)	601.0925	
500	LINEAR FEET	12" CPEP; SL (MODIFIED)	601.2605	
1	EACH	PRC D.I. WITH COVER (MODIFIED)	604.26	
250	HOURS	POWER GRADER RENTAL	608.15	EST.
300	HOURS	ALL PURPOSE EXCAV. TYPE I	608.25	
300	HOURS	TRUCK RENTAL	608.37	
27	CY	STONE FILL, TYPE II	613.11	
1,100	LINEAR FEET	CHAIN LINK FENCE, 6 FEET (MODIFIED)	620.12	
20	EACH	BRACING ASSEMBLY FOR CHAIN-LINK FENCE, 6 FEET	620.21	2
2,000	LINEAR FEET	WOVEN WIRE FENCE WITH STEEL POSTS (MODIFIED)	620.25	EST.
54	EACH	DRIVE GATE FOR WOVEN WIRE FENCE (MODIFIED)	620.30	
12	EACH	STEEL BRACE FOR WOVEN WIRE FENCE	620.40	
500	LINEAR FEET	REMOVING AND RESETTNG FENCE	620.50	EST.
500	LINEAR FEET	REMOVAL OF EXISTING FENCE	620.55	EST.
1	HOOR	UNIFORM TRAFFIC OFFICERS	630.10	EST.
10	HOOR	FLAGGERS	630.15	EST.
1	LUMP SUM	TESTING EQUIPMENT CONCRETE	631.16	
1	LUMP SUM	TESTING EQUIPMENT BITUMINOUS	631.17	
1	LUMP SUM	MOBILIZATION	635.10	
2560	LINEAR FEET	DURABLE 4" WHITE LINE	646.40	
1350	LINEAR FEET	DURABLE 8" WHITE LINE	646.42	
160	LINEAR FEET	24" STOP BAR	646.46	
200	SQ. YARDS	GEOTEXTILE FOR SILT FENCE	649.51	EST.
800	POUNDS	SEED	651.15	EST.
6000	POUNDS	FERTILIZER	651.18	EST.
8	TONS	AGRICULTURE LIMESTONE	651.20	EST.
8	TONS	HAY MULCH	651.25	EST.
500	EACH	HAY BALES FOR EROSION CONTROL	651.26	EST.
2525	SQ. FEET	TRAFFIC SIGNS, TYPE A	675.20	95
12,700	POUNDS	FLANGED CHANNEL SIGN POSTS	675.30	95
1,700	POUNDS	TUBULAR ALUMINUM SIGN POSTS	675.32	33
12,700	POUNDS	SQUARE TUBE STEEL POSTS AND ANCHORS - OPTION FOR	675.34	33
20	EACH	REMOVING SIGNS	675.50	EST.
20	EACH	ERECTING SALVAGED SIGNS	675.60	EST.
30	TONS	COLLECTION & DISPOSAL OF BULKY METALLIC WASTE, (MODIFIED)	681.10	EST.


QUANTITY SHEET

SURVEYED BY N/A DATE N/A
 DRAWN BY SMR DATE 7-2-96
 SQUAD LEADER N/A
 DESIGN FILE NO. MAIN-LAY.DWG
 (PARM FILE) DATE 7-3-96
 PLOTTED 7-3-96
 PROJ. NAME SHELDON - RICHFORD
TRANSPORTATION PATH
 PROJ. NO. STP BIKE (17) S
 SHEET 4 OF 43 SHEETS

SURVEYED BY N/A DATE N/A
DRAWN BY JCL DATE 12/20/95
SQUAD LEADER N/A
DESIGN FILE NO. PROJLAY.DWG
IPARIM _____ DATE _____
PROJECT _____ PLOTTED 3/27/96
PROJ. NAME SHELDON - RICHFORD
TRANSPORTATION PATH
PROJ. NO. STP BIKE (17) S
SHEET 5 OF 4.3 SHEETS

LEGEND

105	STATE ROUTE
1	TOWN HIGHWAY CLASS I
3	TOWN HIGHWAY CLASS II
120	TOWN HIGHWAY CLASS III



CULVERTS

RR MM	IDENTIFIER	TYPE
18.63	C38	24" CMP
18.74	C39	24" CMP
18.93	C40	CONCRETE BOX CULVERT
19.29	C41	36" CMP
19.48	C42	6'-6"X4' CONC. BOX CULVERT
19.76	C43	12" VCP
19.92	C44	42" CMP
19.98	C45	8'X8' CONCRETE BOX CULVERT
20.61	C46	9'X14' CONCRETE BRIDGE
20.89	C47	18" VCP
20.99	C48	24" CMP
21.21	C49	30" CMP
21.38	C50	7'-6"X11'-6" CONCRETE BRIDGE
21.86	C51	24" CMP
22.02	C52	21" CMP
22.22	C53	30" CMP
22.62	C53a	5'-9"X7' CONCRETE BOX CULVERT
22.69	C54	5' CMP
22.96	C55	24" CMP
23.14	C56	2'X3' CONCRETE BOX CULVERT
23.26	C57	36" CMP
23.27	C58	4'X8' CONCRETE BOX CULVERT
23.43	C59	6'X8' (APPROX.) CONC. BOX CULVERT
23.68	C60	2'X3' (APPROX.) CONC. BOX CULVERT
24.03	C61	21" CMP
24.16	C62	6' RCP
24.58	C63	24" CMP
24.81	C64	1'X2' STONE BOX CULVERT
24.96	C65	10' PLATE ARCH CULVERT
25.21	C66	28'X24" (APPROX.) WOOD BOX
25.35	C67	24" CMP
25.39	C68	24'X28" WOOD BOX CULVERT
25.45	C69	22'X28" STONE BOX CULVERT
25.66	C70	4' WIDE BRICK/TIMBER ARCH
25.99	C71	18'X24" WOOD BOX CULVERT
26.39	C72	24" CMP

SOLID WASTE

RR MM	IDENTIFIER	TYPE
18.64	S16	1 FULL SIZE REFRIGERATOR
19.56	S17	18 CY LOG JAM AT CULVERT INLET
20.38	S18	3 50 GAL. DRUMS
20.59	S19	50 GAL. DRUM, 5 GAL. DRUM
20.63	S20	50 GAL. DRUM
22.47	S21	6 CY AUTOMOTIVE DEBRIS
22.76	S22	1 CY SET OF STEPS
22.78	S23	50 GAL. DRUM
22.81	S24	6 CY PAINT CANS (30), WOOD DEBRIS
22.82	S25	2 CY WOOD DEBRIS
22.85	S26	2 CY WOOD DEBRIS, 50 GAL. DRUM
22.86	S27	2 CY MULCH, CONC. BLOCKS, TIRES
22.88	S28	6 CY CANS, WOOD, TIRES
22.89	S29	3 50 GAL. DRUMS, WOOD, WIN. FRAME
23.70	S30	1/2 50 GAL. DRUM
24.11	S31	3 50 GAL. DRUMS
24.21	S32	10 CHORD WOOD
24.24	S33	BALER - FARMER'S ITEMS
24.34	S34	12 CY WOOD, METAL
27.06	S35	50 GAL. DRUM
27.06	S35	2 CY PLASTIC BARRELS, METAL

NOTE: ALL SOLID WASTE DEPICTED SHALL BE PICKED UP, REMOVED AND DISPOSED OF AS DIRECTED BY THE RESIDENT ENGINEER AND PAID BY THE TON ITEM 681.10 COLLECTION & DISPOSAL OF BULKY METALLIC WASTE (MODIFIED)

NOTE: THE FOLLOWING AREAS (SHOWN AS THE HATCHED PATTERN) ARE ENVIRONMENTALLY SENSITIVE. NO EXCAVATION, STORAGE OF MATERIALS OR OTHER DISTURBANCE IS ALLOWED IN THESE AREAS UNLESS OTHERWISE SPECIFIED IN THE PLANS OR DIRECTED BY THE RESIDENT ENGINEER.

RR MM	OFFSET	RR MM	OFFSET
19.04 TO 19.75	RT	23.06 TO 23.67	RT
19.85 TO 19.94	RT	24.36 TO 24.88	LT&RT
22.80 TO 22.95	LT&RT		

NOTES:

- THE TRANSPORTATION PATH RIGHT OF WAY IS APPROXIMATELY 50' EACH SIDE OF THE PATH CENTER. THIS SHALL BE THE LIMITS OF CONSTRUCTION.
- SEE LAYOUT SHEETS 1 THRU 9 FOR LOCATIONS OF SOLID WASTE AND CULVERTS.

PLAN NOT TO SCALE

PROJECT
LAYOUT #2

MM 18.5 - MM 27.2


SURVEYED BY	N/A	DATE	N/A
DRAWN BY	JCL	DATE	12/20/95
SQUAD LEADER	N/A		
DESIGN FILE NO.	PROJLAY.DWG		
IPARM FILE	DATE PLOTTED	3/27/96	
PROJ. NAME	SHELDON - RICHFORD		
PROJ. NO.	STP BIKE (17) S		
SHEET	6	OF	43 SHEETS

DATUM	
VERTICAL	N/A
HORIZONTAL	N/A

SURVEYED BY N/A DATE N/A
DRAWN BY SDT DATE 3/6/96
SQUAD LEADER N/A
DESIGN FILE NO. CONSTRC.DWG
IPARM FILE DATE PLOTTED 3/27/96
PROJ. NAME SHELDON-RICHFORD
TRANSPORTATION PATH
PROJ. NO. STP BIKE (17) S
SHEET 7 OF 43 SHEETS

SURVEYED BY N/A DATE N/A
 DRAWN BY SDT DATE 3/6/96
 SQUAD LEADER N/A
 DESIGN FILE NO. CONSTRC.DWG
 IPARBM FILE DATE PLOTTED 3/27/96
 PROJ. NAME SHELDON-RICHFORD
TRANSPORTATION PATH
 PROJ. NO. STP BIKE (17) S
 SHEET 8 OF 43 SHEETS

D:\DATA\PROJECTS\9507\9507-1.dwg Wed Aug 14 10:41:17 1996 CAD Plot From SMO Corp



SOLID WASTE		
RR MM	IDENTIFIER	VOLUME & DESCRIPTION
10.77	S1	6 CY APPLIANCES
10.85	S2	6 CY HOUSEHOLD

NOTES:

- THE TRANSPORTATION PATH RIGHT-OF-WAY IS APPROXIMATELY 50' EACH SIDE OF THE PATH CENTER. THIS SHALL BE THE LIMITS OF CONSTRUCTION
- SEE SHEET 20 OF 43 FOR EXACT PLACEMENT OF SIGNS
- THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR COORDINATION WITH INDIVIDUAL LAND OWNERS TO VERIFY FENCE AND DRIVE GATE LOCATIONS AND INTEGRATION WITH EXISTING FENCE. EXISTING FENCE MAY BE LEFT IN PLACE AT THE REQUEST OF THE LAND OWNER. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR THE EXACT AMOUNT OF EXISTING FENCE REMOVAL AND FENCE INSTALLATION TO BE PAID TO THE CONTRACTOR.
- SEE TABLE ON PROJECT LAYOUT SHEET (SHEET 5 OF 43) FOR CULVERT MILE MARKER (LOCATION)
- SEE SHEET 19 OF 43 FOR TIMBER FENCE DETAIL.

RR MM RAILROAD MILE MARKER
X-X-X-X-X EXISTING FENCE
NEW SIGN
-X-X-X-X EXISTING GATE
X-X-X-X-X NEW CHAIN LINK FENCE

LEGEND


S3 SOLID WASTE
C3 CULVERT CROSSING
C3 NEW TIMBER FENCE AT EXISTING CULVERT WITH 4 OBJECT MARKING SIGNS


LAYOUT SHEET #1


MM 950 - MM 117

SURVEYED BY N/A DATE N/A
DRAWN BY JCL DATE 12/20/95
SQUAD LEADER N/A
DESIGN FILE NO. MAIN-LAY.DWG
DATE 3/27/96
PROJ. NAME SHELTON - RICHFORD TRANSPORTATION PATH
PROJ. NO. STP BIKE (17) S
SHEET 9 OF 43 SHEETS


DATUM
VERTICAL N/A
HORIZONTAL N/A







LEGEND



- S3 SOLID WASTE
- C3 CULVERT CROSSING
- C3 NEW TIMBER FENCE AT EXISTING CULVERT WITH 4 OBJECT MARKING SIGNS

NOTES:

- THE TRANSPORTATION PATH RIGHT-OF-WAY IS APPROXIMATELY 50' EACH SIDE OF THE PATH CENTER. THIS SHALL BE THE LIMITS OF CONSTRUCTION
- SEE SHEET 20 OF 43 FOR EXACT PLACEMENT OF SIGNS
- THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR COORDINATION WITH INDIVIDUAL LAND OWNERS TO VERIFY FENCE AND DRIVE GATE LOCATIONS AND INTEGRATION WITH EXISTING FENCE. EXISTING FENCE MAY BE LEFT IN PLACE AT THE REQUEST OF THE LAND OWNER. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR THE EXACT AMOUNT OF EXISTING FENCE REMOVAL AND FENCE INSTALLATION TO BE PAID TO THE CONTRACTOR.
- SEE TABLE ON PROJECT LAYOUT SHEET (SHEET 5 OF 43) FOR CULVERT MILE MARKER (LOCATION)
- SEE SHEET 18 OF 43 FOR WOOD DECK AND CHAIN LINK FENCE DIMENSIONS AND DETAILS
- SEE SHEET 19 OF 43 FOR TIMBER FENCE DETAIL.

SOLID WASTE


RR MM	IDENTIFIER	VOLUME & DESCRIPTION
16.95	S11	1 50 GAL. DRUM
17.05	S12	6 CY BRUSH, PALLET

LAYOUT SHEET #4

MM 158 - MM 17.5

SURVEYED BY N/A DATE N/A
 DRAWN BY JCL DATE 12/20/95
 SQUAD LEADER N/A
 DESIGN FILE NO. MAIN-LAY.DWG
 IP/PM FILE DATE PLOTTED 3/27/96
 PROJ. NAME SHELDON - RICHFORD
 PROJ. NO. STP BIKE (17) S
 SHEET 12 OF 43 SHEETS

DATUM
 VERTICAL N/A
 HORIZONTAL N/A



NOTES:

1. THE TRANSPORTATION PATH RIGHT-OF-WAY IS APPROXIMATELY 50' EACH SIDE OF THE PATH CENTER. THIS SHALL BE THE LIMITS OF CONSTRUCTION
2. SEE SHEET 20 OF 43 FOR EXACT PLACEMENT OF SIGNS
3. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR COORDINATION WITH INDIVIDUAL LAND OWNERS TO VERIFY FENCE AND DRIVE GATE LOCATIONS AND INTEGRATION WITH EXISTING FENCE. EXISTING FENCE MAY BE LEFT IN PLACE AT THE REQUEST OF THE LAND OWNER. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR THE EXACT AMOUNT OF EXISTING FENCE REMOVAL AND FENCE INSTALLATION TO BE PAID TO THE CONTRACTOR.
4. SEE TABLE ON PROJECT LAYOUT SHEET (SHEET 6 OF 43) FOR CULVERT MILE MARKER (LOCATION)
5. SEE SHEET 18 OF 43 FOR WOOD DECK AND CHAIN LINK FENCE DIMENSIONS AND DETAILS
6. SEE SHEET 19 OF 43 FOR TIMBER FENCE DETAIL.

LEGEND

- | | | | |
|-------|----------------------|----|--|
| RR MM | RAILROAD MILE MARKER | S3 | SOLID WASTE |
| --- | EXISTING FENCE | C3 | CULVERT CROSSING |
| --- | NEW SIGN | C3 | NEW TIMBER FENCE AT EXISTING CULVERT WITH 4 OBJECT MARKING SIGNS |
| --- | EXISTING GATE | | |
| --- | NEW CHAIN LINK FENCE | | |

SOLID WASTE


RR MM	IDENTIFIER	VOLUME & DESCRIPTION
19.56	S17	18 CY LOG JAM AT CULVERT INLET
20.38	S18	3 50 GAL. DRUMS
20.59	S19	50 GAL. DRUM, 5 GAL. DRUM
20.63	S20	50 GAL. DRUM

LAYOUT SHEET #6

MM 19.5 - MM 21.5

SURVEYED BY: N/A DATE: N/A
 DRAWN BY: JCL DATE: 12/20/95
 SQUAD LEADER: N/A
 DESIGN FILE NO.: MAIN-LAY.DWG
 IPARM FILE: DATE: 3/27/96
 PROJ. NAME: SHELDON - RICHFORD TRANSPORTATION PATH
 PROJ. NO.: STP BIKE (17) S
 SHEET 14 OF 43 SHEETS

DATUM
 VERTICAL: N/A
 HORIZONTAL: N/A



SOLID WASTE		
RR MM	IDENTIFIER	VOLUME & DESCRIPTION
22.47	S21	6 CY AUTOMOTIVE DEBRIS
22.76	S22	1 CY SET OF STEPS
22.78	S23	50 GAL. DRUM
22.81	S24	6 CY PAINT CANS (30), WOOD DEBRIS
22.82	S25	2 CY WOOD DEBRIS
22.85	S26	2 CY WOOD DEBRIS, 50 GAL. DRUM
22.86	S27	2 CY MULCH, CONC. BLOCKS, TIRES
22.88	S28	6 CY CANS, WOOD, TIRES
22.89	S29	3 50 GAL. DRUMS, BRANCHES, FRAME
23.70	S30	1/2 50 GAL. DRUM

LEGEND

- S3 SOLID WASTE
- C3 CULVERT CROSSING
- C3 NEW TIMBER FENCE AT EXISTING CULVERT WITH 4 OBJECT MARKING SIGNS

NOTES:


1. THE TRANSPORTATION PATH RIGHT-OF-WAY IS APPROXIMATELY 50' EACH SIDE OF THE PATH CENTER. THIS SHALL BE THE LIMITS OF CONSTRUCTION
2. SEE SHEET 20 OF 43 FOR EXACT PLACEMENT OF SIGNS
3. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR COORDINATION WITH INDIVIDUAL LAND OWNERS TO VERIFY FENCE AND DRIVE GATE LOCATIONS AND INTEGRATION WITH EXISTING FENCE. EXISTING FENCE MAY BE LEFT IN PLACE AT THE REQUEST OF THE LAND OWNER. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR THE EXACT AMOUNT OF EXISTING FENCE REMOVAL AND FENCE INSTALLATION TO BE PAID TO THE CONTRACTOR.
4. SEE TABLE ON PROJECT LAYOUT SHEET (SHEET 6 OF 43) FOR CULVERT MILE MARKER (LOCATION)
5. SEE SHEET 19 OF 43 FOR TIMBER FENCE DETAIL.

- RR MM RAILROAD MILE MARKER
- X---X---X EXISTING FENCE
- NEW SIGN
- X---X---X EXISTING GATE
- XX-XX-XX NEW CHAIN LINK FENCE

LAYOUT
SHEET #7
MM 215 - MM 238

SURVEYED BY: N/A DATE: N/A
DRAWN BY: JCL DATE: 12/20/95
SQUAD LEADER: N/A
DESIGN FILE NO.: MAIN-LAY.DWG
FILE: PLOTTED: 3/27/96
PROJ. NAME: SHELDON - RICHFORD
TRANSPORTATION PATH
PROJ. NO.: STP BIKE (17) S
SHEET 15 OF 43 SHEETS

DATUM
VERTICAL: N/A
HORIZONTAL: N/A



LEGEND

RR MM	RAILROAD MILE MARKER	S3	SOLID WASTE
---	EXISTING FENCE	C3	CULVERT CROSSING
---	NEW SIGN	C3	NEW TIMBER FENCE AT EXISTING CULVERT WITH 4 OBJECT MARKING SIGNS
---	EXISTING GATE		
XX-XX-XX	NEW CHAIN LINK FENCE		

NOTES:

1. THE TRANSPORTATION PATH RIGHT-OF-WAY IS APPROXIMATELY 50' EACH SIDE OF THE PATH CENTER. THIS SHALL BE THE LIMITS OF CONSTRUCTION
2. SEE SHEET 20 OF 43 FOR EXACT PLACEMENT OF SIGNS
3. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR COORDINATION WITH INDIVIDUAL LAND OWNERS TO VERIFY FENCE AND DRIVE GATE LOCATIONS AND INTEGRATION WITH EXISTING FENCE. EXISTING FENCE MAY BE LEFT IN PLACE AT THE REQUEST OF THE LAND OWNER. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR THE EXACT AMOUNT OF EXISTING FENCE REMOVAL AND FENCE INSTALLATION TO BE PAID TO THE CONTRACTOR.
4. SEE TABLE ON PROJECT LAYOUT SHEET (SHEET 6 OF 43) FOR CULVERT MILE MARKER (LOCATION)
5. SEE SHEET 18 OF 43 FOR WOOD DECK AND CHAIN LINK FENCE DIMENSIONS AND DETAILS
6. SEE SHEET 19 OF 43 FOR TIMBER FENCE DETAIL.

SOLID WASTE

RR MM	IDENTIFIER	VOLUME & DESCRIPTION
24.11	S31	3 50 GAL. DRUMS
24.21	S32	WOOD, BALER - FARMER'S ITEMS
24.24	S33	12 CY WOOD, METAL
24.34	S34	50 GAL. DRUM


LAYOUT SHEET #8

MM 23.8 - MM 25.7

SURVEYED BY	N/A	DATE	N/A
DRAWN BY	JCL	DATE	12/20/95
SOUND LEADER	N/A		
DESIGN FILE NO.	MAIN-LAY.DWG		
PARA FILE		DATE PLOTTED	3/27/96
PROJ. NAME	SHELDON - RICHFORD TRANSPORTATION PATH		
PROJ. NO.	STP BIKE (17) S		
SHEET	16	OF	43 SHEETS

DATUM
VERTICAL N/A
HORIZONTAL N/A

B:\DATA\PROJECTS\314\314-3\314-3.dwg Thu Aug 15 09:40:20 1996 CAD Plot From SHC Comp



SOLID WASTE		
RR MM	IDENTIFIER	VOLUME & DESCRIPTION
27.06	S35	2 CY PLASTIC BARRELS, METAL

NOTES:

1. THE TRANSPORTATION PATH RIGHT-OF-WAY IS APPROXIMATELY 50' EACH SIDE OF THE PATH CENTER. THIS SHALL BE THE LIMITS OF CONSTRUCTION
2. SEE SHEET 20 OF 43 FOR EXACT PLACEMENT OF SIGNS
3. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR COORDINATION WITH INDIVIDUAL LAND OWNERS TO VERIFY FENCE AND DRIVE GATE LOCATIONS AND INTEGRATION WITH EXISTING FENCE. EXISTING FENCE MAY BE LEFT IN PLACE AT THE REQUEST OF THE LAND OWNER. THE RESIDENT ENGINEER SHALL BE RESPONSIBLE FOR THE EXACT AMOUNT OF EXISTING FENCE REMOVAL AND FENCE INSTALLATION TO BE PAID TO THE CONTRACTOR.
4. SEE TABLE ON PROJECT LAYOUT SHEET (SHEET 6 OF 43) FOR CULVERT MILE MARKER (LOCATION)
5. SEE SHEET 18 OF 43 FOR WOOD DECK AND CHAIN LINK FENCE DIMENSIONS AND DETAILS


LEGEND

- RR MM RAILROAD MILE MARKER
---X---X---X EXISTING FENCE
NEW SIGN
---X---X---X EXISTING GATE
---X---X---X NEW CHAIN LINK FENCE
- S3 SOLID WASTE
C3 CULVERT CROSSING


DATUM	
VERTICAL	N/A
HORIZONTAL	N/A

LAYOUT
SHEET #9
MM 25.7 - MM 27.2

SURVEYED BY	N/A	DATE	N/A
DRAWN BY	JCL	DATE	12/20/95
SQUAD LEADER	N/A		
DESIGN FILE NO.	MAIN-LAY.DWG		
DATE PLOTTED	3/27/96		
PROJ. NAME	SHELDON - RICHFORD TRANSPORTATION PATH		
PROJ. NO.	STP BIKE (17) S		
SHEET 17	OF 43 SHEETS		




ELEVATION • BRIDGE ABUTMENT
NOT TO SCALE




SECTION THROUGH BRIDGE
NOT TO SCALE

DECK TYPE A



ELEVATION • BRIDGE ABUTMENT
NOT TO SCALE



SECTION THROUGH BRIDGE
NOT TO SCALE


DECK TYPE B

BRIDGE DATA						
BRIDGE NO. (MM)	BRIDGE TYPE	LENGTH	WIDTH	DECK TYPE	EXISTING CURB	
12.86	SINGLE SPAN TIMBER	24'-8"	12'-0"	A	N	
13.23	FIVE SPAN TIMBER	62'-10"	12'-0"	B	Y	
14.88	SINGLE SPAN STEEL STRINGERS	24'-0"	12'-0"	A	Y	
15.79	SINGLE SPAN TIMBER	12'-0"	12'-0"	A	Y	
17.51	SEVEN SPAN TIMBER	85'-0"	12'-0"	A	Y	
18.33	THREE SPAN TIMBER	38'-0"	13'-2"	B	Y	
24.31	SINGLE SPAN STEEL TRUSS	142'-0"	18'-0"	A	Y	
26.50	SINGLE SPAN STEEL GIRDER	39'-9"	12'-1"	A	Y	
26.67	TWO SPAN TIMBER	26'-9"	12'-0"	A	Y	


NOTE:

BRIDGE NOS. 14.88, 24.31 AND 26.50 HAVE STEEL STRINGERS OR GIRDERS UNDER THE RAILROAD TIE TIMBER DECK. USE DETAILS FOR DECK TYPE A FOR THESE BRIDGES.

DATUM
VERTICAL N/A
HORIZONTAL N/A



TYPICAL PLAN VIEW
NOT TO SCALE




TOP BRACKET

BOTTOM BRACKET

CHAINLINK FENCE DETAILS DECK TYPE A

NOT TO SCALE




TOP BRACKET

BOTTOM BRACKET

CHAINLINK FENCE DETAILS DECK TYPE B

NOT TO SCALE




**TYPICAL DETAIL
FOR BOTH DECK TYPES A AND B**
NOT TO SCALE

GENERAL NOTES

- ALL WORK SHOWN ON THIS SHEET EXCEPT CHAIN LINK FENCE, AGGREGATE FOR SURFACE COURSE AND WORK RELATED TO NOTE 7 BELOW, SHALL BE PAID UNDER ITEM 522.25, STRUCTURAL LUMBER AND TIMBER - TREATED.
- FIELD WELDS SHALL BE CLEANED AND PAINTED WITH TWO COATS OF ZINC RICH (GALVANIZED) COATING, PER SUBSECTION 708.02(D). PROTECT ALL EXPOSED TIMBERS FROM PAINT OVER-SPRAY.
- ALL LUMBER AND TIMBER SHALL BE PRESERVATIVE TREATED WITH PRESERVATIVE TYPE IV, PER SUBSECTION 726.01.
- ALL LUMBER AND TIMBER SHALL BE SOUTHERN PINE, COASTAL DOUGLAS FIR, WESTERN HEMLOCK OR OTHER EASTERN (LOCAL) MATERIAL OF SELECT STRUCTURAL GRADE MEETING A MINIMUM FIBER STRESS IN BENDING ABOUT EITHER AXIS OF 1,200 PSI.
- ALL LUMBER SHALL BE FULL SIZE TO THE DIMENSIONS SHOWN.
- SEVERAL OF THE UPPER BACKWALL TIMBERS (10'X12' X VARIABLE LENGTH OF 13' TO 18') ON BRIDGE NO. 18.33 ARE ROTTED OR DAMAGED. SOME OF THESE TIMBERS SHALL BE REPLACED AS DIRECTED BY THE RESIDENT ENGINEER AND BE PAID UNDER ITEM NO. 522.25 STRUCTURAL LUMBER AND TIMBER-TREATED.

BRIDGE DETAIL SHEET

SURVEYED BY N/A DATE N/A
DRAWN BY CDM DATE 3/6/96
SQUAD LEADER N/A
DESIGN FILE NO. DATE PLOTTED 3/6/96
FILE
PROJ. NAME SHELDON-RICHFORD
TRANSPORTATION PATH
PROJ. NO. STP BIKE (17) S
SHEET 18 OF 43 SHEETS



GENERAL NOTES

1. ALL WORK SHOWN ON THIS SHEET SHALL BE PAID UNDER ITEM 522.25, STRUCTURAL LUMBER AND TIMBER - TREATED.
2. ALL LUMBER AND TIMBER SHALL BE PRESERVATIVE TREATED WITH PRESERVATIVE TYPE IV, PER SUBSECTION 726.01
3. ALL LUMBER AND TIMBER SHALL BE SOUTHERN PINE, COASTAL DOUGLAS FIR, WESTERN HEMLOCK, OR OTHER EASTERN (LOCAL) MATERIAL OF SELECT STRUCTURAL GRADE MEETING A MINIMUM AXIS OF 1,200 PSI.
4. ALL LUMBER SHALL BE NOMINAL PLANED SIZE.
5. QUANTITY FOR TIMBER FENCE BASED ON AVERAGE LENGTH OF 12 FEET AT 6 FOOT POST SPACING. ACTUAL FENCE PLACEMENTS AS DIRECTED BY THE RESIDENT ENGINEER.

RAIL SIZE	MAXIMUM POST SPACING
1 x 8 (N)	3'
2 x 8 (N)	6'
3 x 8 (N)	12'

N - NOMINAL LUMBER SIZE (PLANED); ie: 2 x 8 ACTUALLY IS 1 3/4" x 7 1/2".

TYPICAL FENCE DETAIL INSTALLATION

SEGMENT 1 TABLE

MILE MARKER	LENGTH OF FENCE +	NOTES
MM 3.15±	12'	
MM 3.27	12'	
MM 3.55	12'	
MM 4.31	12'	
MM 4.90	20'	NOTE: EXISTING TIMBER FENCE REPLACE RAILS ONLY
MM 6.36	12'	
MM 7.45	12'	
MM 9.40	12'	

+ SEE NOTE #5


DATUM	
VERTICAL	N/A
HORIZONTAL	N/A

PLAN NOT TO SCALE


FENCE DETAILS

SURVEYED BY	N/A	DATE	N/A
DRAWN BY	SMR	DATE	7/15/96
SQUAD LEADER	N/A		
DESIGN FILE NO.	FEN-DET		
IPARM FILE		DATE PLOTTED	7/15/96
PROJ. NAME	SHELDON-RICHFORD		
	TRANSPORTATION PATH		
PROJ. NO.	STP BIKE (17) S		
SHEET	19	OF	43 SHEETS

NOTE: RECREATION TRAIL BEGIN AND END SIGNS
APPLY ONLY TO CROSSINGS AT
RR MM 10.04, AND 27.20



NOTE: DIMENSIONS NOT SHOWN ASSUMED
TO BE SYMMETRICAL TO SIGNS ON
OPPOSITE SIDE OF HIGHWAY OR PATH.



TYPICAL TRAFFIC SIGN PLACEMENT

NOT TO SCALE

NOTES:


1. RESIDENT ENGINEER SHALL VERIFY IN THE FIELD THE PLACEMENT AND LOCATION, OF ALL SIGNS PRIOR TO THE CONTRACTOR INSTALLING THEM
2. SEE SHEET 21 OF 43 FOR TRAFFIC SIGN DETAILS.
3. ATTACH BICYCLE REQUIREMENT SIGN TO SPEED LIMIT SIGN POST INSTEAD OF THE STEEP SIDE SLOPE SIGN POST AS SHOWN ON PLANS.
4. SPEED LIMIT SIGNS TO BE PLACED AT THE FOLLOWING LOCATIONS:

RR	MM	9.90	RR	MM	17.45	RR	MM	21.46	RR	MM	24.36
RR	MM	10.04	RR	MM	17.56	RR	MM	22.18	RR	MM	24.88
RR	MM	10.33	RR	MM	17.71	RR	MM	22.64	RR	MM	26.61
RR	MM	12.43	RR	MM	17.78	RR	MM	22.72			
RR	MM	12.73	RR	MM	19.04	RR	MM	22.95			
RR	MM	14.48	RR	MM	19.94	RR	MM	23.06			
RR	MM	14.96	RR	MM	20.42	RR	MM	23.67			
RR	MM	16.91	RR	MM	21.36	RR	MM	24.21			

DATUM	
VERTICAL	N/A
HORIZONTAL	N/A


TYPICAL TRAFFIC SIGN PLACEMENT

SURVEYED BY N/A DATE N/A
DRAWN BY SDT DATE 3/6/96
SQUAD LEADER N/A
DESIGN FILE NO. _____
IF/ARM FILE TRAFFIC.DWG DATE PLOTTED 3/27/96
PROJ. NAME SHELDON-RICHFORD
TRANSPORTATION PATH
PROJ. NO. STP BIKE (17) S
SHEET 20 OF 43 SHEETS



SIGN DETAIL R5-3
NOT TO SCALE

COLORS FOR R5-3
LEGEND: BLACK (NON-REFL.)
BACKGROUND: WHITE (REFL.)




SIGN DETAIL VR-043
NOT TO SCALE
COLORS FOR VR-043
LEGEND & BORDER: BLACK(NON-REFLECTORIZED)
BACKGROUND: WHITE(REFLECTORIZED)


note : for specification refer to std E-140

DIMENSIONS (INCHES)							
SIGN STD.	A	B	C	D	E	F	G
	24	30	3/8	5/8	2	2-1/4	I


SIGN STD.	H	J	K	AA			
	1-1/8	2-1/4	1/4	1-1/2			




SIGN DETAIL R12-1
NOT TO SCALE
COLORS FOR R12-1
LEGEND: BLACK (NON-REFLECTORIZED)
BACKGROUND: WHITE (REFLECTORIZED)




SIGN DETAIL R9-6
NOT TO SCALE
COLORS FOR R9-6
LEGEND: BLACK
BACKGROUND: WHITE (REFL.)




SIGN DETAIL VBS-5
NOT TO SCALE
COLORS FOR VBS-5
LEGEND & BORDER: WHITE(REFLECTORIZED)
BACKGROUND: GREEN(REFLECTORIZED)




SIGN DETAIL VW-6222
NOT TO SCALE
COLORS FOR VW-6222
LEGEND & BORDER: BLACK(NON-REFLECTORIZED)
BACKGROUND: YELLOW(REFLECTORIZED)
note : for specification refer to std E-152




SIGN DETAIL VBS-1
NOT TO SCALE




SIGN DETAIL VBS-2
NOT TO SCALE





SIGN DETAIL VBS-4
NOT TO SCALE
COLORS FOR VBS-1, VBS-2, VBS-4:
LEGEND: BLACK
BACKGROUND: YELLOW (REFL.)



SIGN DETAIL VBS-3
NOT TO SCALE
COLORS FOR VBS-3
LEGEND: BLACK
BACKGROUND: YELLOW (REFL.)




SIGN DETAIL VBS-5
NOT TO SCALE
COLORS FOR VBS-5
LEGEND & BORDER: WHITE(REFLECTORIZED)
BACKGROUND: GREEN(REFLECTORIZED)



SIGN DETAIL M4-12
NOT TO SCALE

COLORS FOR M4-11 & M4-12:
LEGEND: WHITE (REFL.)
BACKGROUND: GREEN (REFL.)

SIGN DETAIL M4-11
NOT TO SCALE



SIGN DETAIL OM-3L SIGN DETAIL OM-3R
NOT TO SCALE
COLORS FOR OM-3L & OM-3R:
WIDE STRIPE: BLACK
NARROW STRIPE: YELLOW (REFL.)

NOTE: ALL BORDERS SAME COLOR AS LEGEND

DATUM	
VERTICAL	N/A
HORIZONTAL	N/A

TRAFFIC SIGN DETAILS

SURVEYED BY	N/A	DATE	N/A
DRAWN BY	SDT	DATE	3/6/96
SQUAD LEADER	N/A		
DESIGN FILE NO.	SIGN-DET		
FILE		DATE PLOTTED	3/27/96
PROD. NAME	SHELDON-RICHFORD		
	TRANSPORTATION PATH		
PROD. NO.	STP BIKE (17) S		
SHEET	21 OF 43	SHEETS	

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NEW SIGN POSTS															REMARKS	SIGN DETAIL				
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.	NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE			SIGN FRAME	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER		
										1.12	2.0	3.0	3.0"Ø	4.0"Ø	FOUND- ATION	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"	30"						
MM 10.04 LT		24" x 18" 12" x 4'	3.33						1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.04 LT		24" x 18" 12" x 4'	3.33						1																	SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.04 LT		24" x 18" 12" x 4'	3.33						1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.04 LT		24" x 18" 12" x 4'	3.33						1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.04 LT		36" x 36" 24" x 18" 24" x 12"	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 10.23 LT		18" x 12"	1.5						1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 10.04 RT		36" x 36" 24" x 18" 24" x 12"	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 10.04 RT		24" x 24" 12" x 18"	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS			
MM 10.04 RT		24" x 18" 12" x 4'	3.33	M4-11					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.04 LT		18" x 18"	3.75	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-143	
MM 10.05 RT		18" x 18" 24" x 30"	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.07 LT		18" x 18"	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-150	
MM 10.30 RT		18" x 18"	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 10.32 LT		18" x 18" 24" x 30"	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.33 LT		24" x 24" 12" x 18"	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.33 LT		36" x 36" 24" x 18" 24" x 12"	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 10.33 RT		18" x 18"	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 10.33 RT		36" x 36" 24" x 18" 24" x 12"	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S "SIGN POST DESIGN GUIDELINE".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #1		PREPARED BY CHECKED BY DESIGN SUPERVISOR PROJ. SHELDON-BUCHFORD TRANSPORTATION PATH STP BIKE (17) S SIGN SUMMARY SHEET NO. 1 OF 22 SHEET 22 OF 43 SHEETS	DATE 7/8/36	
TOTALS			110.15							419.38		130.7																	

PREPARED BY	SMR	DATE	7/8/96
CHECKED BY		DATE	
DESIGN SUPERVISOR			
PROJ.	SHeldon-RICHARD		
	TRANSPORTATION PATH		
	STP BKE (17) S		
PROJ. NO.			
SIGN SUMMARY SHEET NO.		OF	22
SHEET	22	OF	43
		SHEETS	

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NEW SIGN POSTS															REMARKS	SIGN DETAIL			
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.	NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE			SIGN FRAME	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER	
										1 1/2	2.0	3.0	3.0"Ø	4.0"Ø	FOUND- ATION	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"	30"					
MM 10.33 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.33 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 10.34 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 10.36 LT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 12.40 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 12.42 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 12.43 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 12.43 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 12.43 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 12.43 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 12.43 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 12.43 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 12.44 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 12.46 LT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 12.70 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 12.72 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 12.73 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 12.73 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF. 105.5		EA.	SF.	EA.	EA.		LBS. 196.8	LBS. 307.2	LBS. 98.0	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.			LBS.	EA.	EA.	TRAFFIC SIGN SUMMARY SHEET #2		PREPARED BY _____ DATE 7/8/96 CHECKED BY _____ DATE _____ DESIGN SUPERVISOR PROJ. NO. _____ SHELDON-RICHMOND TRANSPORTATION PATH STP BURE (17) S SIGN SUMMARY SHEET NO. 2 OF 22 SHEET 23 OF 43 SHEETS	

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS						NEW SIGN POSTS																	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.	NO. OF POSTS	CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	REMARKS	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER	
										1.12	2.0	3.0	3.0"x 4.0"x	4.0"x 6.0"x	6.0"x 8.0"x	8.0"x 10.0"x	10.0"x 12.0"x	12.0"x 14.0"x	14.0"x 16.0"x	POST SIZE	WEIGHT	24"	30"					
MM 12.73 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 12.73 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 12.73 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 12.73 LT		18' X 18'	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 12.74 RT		18' X 18' 24' X 30'	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 12.76 LT		18' X 18'	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 12.85 RT		24' X 30' 12' X 36'	8.00	R12-1 DM-3R					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 12.85 LT		12' X 36'	3.00	DM-3L					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 12.87 RT		12' X 36'	3.00	DM-3R					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 12.87 LT		24' X 30' 12' X 36'	8.00	R12-1 DM-3L					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 13.22 RT		12' X 36'	3.00	DM-3R					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 13.22 LT		12' X 36'	3.00	DM-3L					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 13.24 RT		12' X 36'	3.00	DM-3R					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 13.24 LT		12' X 36'	3.00	DM-3L					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 14.45 RT		18' X 18'	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 14.47 LT		18' X 18' 24' X 30'	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 14.48 RT		18' X 18'	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 14.48 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF. 96.5	EA.	SF.	EA.	EA.		LBS. 260.4	LBS. 270.6	LBS. 65.4	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #3			PREPARED BY CHECKED BY DESIGN SUPERVISOR PROJ. SHELDON-RICHFORD TRANSPORTATION PATH STP BIKE (17) S SIGN SUMMARY SHEET NO. 3 OF 22 SHEET 24 OF 43 SHEETS	


TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM					TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL	
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		1.12	2.0	3.0	3.0"Ø	4.0"Ø	FOUND-ATION	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"	30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER					
MM 14.48 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.48 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.48 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 14.48 LT		18' X 18'	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 14.49 RT		18' X 18' 24' X 30'	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.51 LT		18' X 18'	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 14.87 RT		24' X 30' 12' X 36'	8.00	R12-1 DM-3R					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.87 LT		12' X 36'	3.00	DM-3L					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.89 RT		12' X 36'	3.00	DM-3R					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.89 LT		24' X 30' 12' X 36'	8.00	R12-1 DM-3L					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.93 RT		18' X 18'	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 14.95 LT		18' X 18' 24' X 30'	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.96 RT		18' X 18'	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 14.96 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 14.96 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.96 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.96 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 14.96 LT		18' X 18'	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S "SIGN POST DESIGN GUIDELINE".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.	TRAFFIC SIGN SUMMARY SHEET #4		PREPARED BY: SMR DATE: 7/8/96 CHECKED BY: _____ DATE: _____ DESIGN SUPERVISOR: SHELDON-RICHFORD PROJ. NO. TRANSPORTATION PATH STP BKE (17) S SIGN SUMMARY SHEET NO. 4 OF 22 SHEET 25 OF 43 SHEETS				
TOTALS			111.75							531.0	176.4	354.6	98.0	98.0																

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS			EXIST. POSTS		NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		NEW SIGN POSTS TUBULAR STEEL				W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.		SALV.	1.12	2.0	3.0	3.0"x ø	4.0"x ø	3"x ø	3.5"x ø	4.0"x ø	5.0"x ø	POST SIZE	WEIGHT	24"			30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER
MM 14.97 RT		18' X 18' 24' X 30'	7.25								X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 14.99 LT		18' X 18'	2.25	R3-1A						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 15.78 RT		24' X 30' 12' X 36'	8.00	R12-1 DM-3R							X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 15.78 LT		12' X 36'	3.00	DM-3L						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 15.80 RT		12' X 36'	3.00	DM-3R						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 15.80 LT		24' X 30' 12' X 36'	8.00	R12-1 DM-3L							X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 16.88 RT		18' X 18'	2.25	R3-1A						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 16.90 LT		18' X 18' 24' X 30'	7.25								X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 16.91 RT		18' X 18'	2.25	R1-1						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 16.91 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7								X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 16.91 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6							X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 16.91 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6							X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 16.91 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7								X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 16.91 LT		18' X 18'	2.25	R1-1						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 16.92 RT		18' X 18' 24' X 30'	7.25								X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 16.94 LT		18' X 18'	2.25	R3-1A						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 17.30 RT		24' X 30' 12' X 36'	8.00	R12-1 DM-3R							X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 17.30 LT		12' X 36'	3.00	DM-3L						X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.	LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.	TRAFFIC SIGN SUMMARY SHEET #5		PREPARED BY _____ DATE 7/8/96 CHECKED BY _____ DATE _____ DESIGN SUPERVISOR _____ PROJ. NO. _____ SHELDON-RICHMOND TRANSPORTATION PATH STP BKE (17) S SIGN SUMMARY SHEET NO. 5 OF 22 SHEET 26 OF 43 SHEETS	
TOTALS			105.0						568.5		65.4		65.4													

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		NEW SIGN POSTS					W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL									
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		1.12	2.0	3.0	3.0"x 4.0"	4.0"x 4.0"	FOUND- ATION	3"x 3.5"	3.5"x 4.0"	4.0"x 4.0"	5.0"x 5.0"	POST SIZE	WEIGHT	24"	30"			DETAIL ON SHEET NUMBER	STD. SHEET NUMBER								
MM 17.32 RT		12' X 36'	3.00	DM-3R					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.32 LT		24' X 30' 12' X 36'	8.00	R12-1 DM-3L					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.42 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150								
MM 17.44 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.45 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143								
MM 17.45 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152								
MM 17.45 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.45 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.45 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143								
MM 17.46 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.48 LT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150								
MM 17.53 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150								
MM 17.55 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.56 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143								
MM 17.56 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152								
MM 17.56 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.56 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21									
MM 17.56 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152								
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.			LBS.	EA.	EA.			TRAFFIC SIGN SUMMARY SHEET #6		PREPARED BY _____ SMR DATE 7/8/96						
TOTALS			110.25							526.5			98.0													CHECKED BY _____ DATE _____		SHELDON-RICHFORD TRANSPORTATION PATH STP BIKE (17) S		PROJ. NO. _____		SIGN SUMMARY SHEET NO. 6 OF 22		SHEET 27 OF 43 SHEETS	

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS														REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL				W-SHAPE STEEL		FTG. SIZE		SIGN FRAME		DETAIL ON SHEET NUMBER	STD. SHEET NUMBER	
										1.12	2.0	3.0	3.0"Ø	4.0"Ø	FOUND. SIGN	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"					30"
MM 17.56 LT		18" X 18"	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 17.57 RT		18" X 18" 24" X 30"	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.59 LT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 17.62 RT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 17.64 LT		18" X 18" 24" X 30"	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.65 RT		18" X 18"	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 17.65 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 17.65 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.65 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.65 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 17.65 LT		18" X 18"	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 17.66 RT		18" X 18" 24" X 30"	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.68 LT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 17.75 RT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 17.77 LT		18" X 18" 24" X 30"	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.78 RT		18" X 18"	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 17.78 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 17.78 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #7		
TOTALS			105.5								504.0		98.0														

PREPARED BY: _____ DATE: 7/8/96.
 CHECKED BY: _____ DATE: _____
 DESIGN SUPERVISOR: _____
 PROJ. NO.: _____
 SHELDON-RICHMOND TRANSPORTATION PATH
 STP BIKE (17) S
 SIGN SUMMARY SHEET NO. 7 OF 22
 SHEET 28 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NEW SIGN POSTS															REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.	NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FIG. SIZE			SIGN FRAME	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER
										112	2.0	3.0	3.0"Ø	4.0"Ø	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"	30"					
MM 17.78 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.78 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 17.78 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 17.79 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.81 LT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 18.32 RT		12' X 36'	3.00	DM-3R					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 18.32 LT		12' X 36'	3.00	DM-3L					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 18.34 RT		12' X 36'	3.00	DM-3R					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 18.34 LT		12' X 36'	3.00	DM-3L					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 19.01 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 19.03 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 19.04 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 19.04 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 19.04 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 19.04 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 19.04 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 19.04 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 19.05 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.	TRAFFIC SIGN SUMMARY SHEET #8			
TOTALS			103.5							492.3	230.4	261.9	98.0	98.0											PROJ. NO. _____ DATE 7/2/96. SIGNED BY _____ CHECKED BY _____ DESIGN SUPERVISOR _____ PROJ. _____ SHELDON-RICHFORD TRANSPORTATION PATH STP BIKE (17) S SIGN SUMMARY SHEET NO. 8 OF 22 SHEET 29 OF 43 SHEETS		

FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD.
POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED
ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S
" SIGN POST DESIGN GUIDELINE ".

PREPARED BY: SMR DATE: 7/8/96
CHECKED BY: DATE:
DESIGN SUPERVISOR: SHELTON-ROCHFORD
PROJ. NO. TRANSPORTATION PATH
SIGN SUMMARY SHEET NO. 8 OF 22
SHEET 29 OF 43 SHEETS

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS			EXIST. POSTS		NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		NEW SIGN POSTS					W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.		SALV.	1 1/2	2.0	3.0	3.0" Ø	4.0" Ø	TUBULAR STEEL					POST SIZE	WEIGHT	24"			30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER
															3" Ø	3.5" Ø	4.0" Ø	5.0" Ø									
MM 19.07 LT		18" X 18"	2.25	R3-1A					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 19.91 RT		18" X 18"	2.25	R3-1A					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 19.93 LT		18" X 18" 24" X 30"	7.25						1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 19.94 RT		18" X 18"	2.25	R1-1					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 19.94 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 19.94 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 19.94 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 19.94 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 19.94 LT		18" X 18"	2.25	R1-1					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 19.95 RT		18" X 18" 24" X 30"	7.25						1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 19.97 LT		18" X 18"	2.25	R3-1A					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 20.39 RT		18" X 18"	2.25	R3-1A					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 20.41 LT		18" X 18" 24" X 30"	7.25						1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 20.42 RT		18" X 18"	2.25	R1-1					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 20.42 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 20.42 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 20.42 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 20.42 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7																							

TRAFFIC SIGN SUMMARY SHEET

TRAFFIC SIGN SUMMARY SHEET																												
MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS			NEW SIGN POSTS															REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.	NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE		SIGN FRAME		DETAIL ON SHEET NUMBER	STD. SHEET NUMBER	
										1 1/2	2.0	3.0	3.0"Ø	4.0"Ø	FOUND-ATION	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"	30"					
MM 20.42 LT		18" X 18"	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 20.43 RT		18" X 18" 24" X 30"	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 20.45 LT		18" X 18"	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 20.61 RT		12" X 36"	3.00	DM-3R					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 20.61 LT		12" X 36"	3.00	DM-3L					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 20.63 RT		12" X 36"	3.00	DM-3R					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 20.63 LT		12" X 36"	3.00	DM-3L					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.33 RT		18" X 18"	2.25	R3-1A					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 21.35 LT		18" X 18" 24" X 30"	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.36 RT		18" X 18"	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 21.36 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 21.36 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.36 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.36 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 21.36 LT		18" X 18"	2.25	R1-1					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 21.37 RT		18" X 18" 24" X 30"	7.25						1			X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.37 RT		12" X 36"	3.00	DM-3R					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.37 LT		12" X 36"	3.00	DM-3L					1		X															SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #10			
			90.0							284.4	219.9	65.4																
TOTALS										504.3		65.4																
PREPARED BY: _____ SMR DATE: 7/8/96 CHECKED BY: _____ DATE: _____ DESIGN SUPERVISOR: _____ PROJ. NO. _____ SHELDON-SCHIFFORD TRANSPORTATION PATH STP BKE (17) S SIGN SUMMARY SHEET NO. 10 OF 22 SHEET 31 OF 43 SHEETS																												

PREPARED BY: SMR DATE: 7/8/96
 CHECKED BY: _____ DATE: _____
 DESIGN SUPERVISOR: _____
 PROJ. NO.: _____
 SHELDON-RICHFORD TRANSPORTATION PATH
 STP BKE (17) S
 SIGN SUMMARY SHEET NO. 10 OF 22
 SHEET 31 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS										REMARKS	SIGN DETAIL								
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL				W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER				
										1.12	2.0	3.0	3.0"Ø	4.0"Ø	FOUND- ATION	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø		POST SIZE	WEIGHT				24"	30"		
MM 21.39 RT		12' X 36'	3.00	DM-3R					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 21.39 LT		12' X 36'	3.00	DM-3L							X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 21.39 LT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 21.43 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 21.45 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 21.46 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 21.46 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 21.46 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 21.46 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 21.46 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 21.46 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 21.47 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 21.49 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 22.15 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150		
MM 22.17 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 22.18 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143		
MM 22.18 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152		
MM 22.18 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21			
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS. 225.6	LBS. 261.9	LBS. 98.0	LBS.	EA.	LBS.	LBS.	LBS.	LBS.			LBS.	EA.	EA.			TRAFFIC SIGN SUMMARY SHEET #11		PREPARED BY CHECKED BY DESIGN SUPERVISOR PROJ. SHELDON-ROCHFORD TRANSPORTATION PATH STP BIKE (17) S SIGN SUMMARY SHEET NO. 11 OF 22 SHEET 32 OF 43 SHEETS
TOTALS			102.0								487.5		98.0																

PREPARED BY: SMR DATE: 7/8/96
 CHECKED BY: _____ DATE: _____
 DESIGN SUPERVISOR: _____
 PROJ. NO.: SHILOH-RICHMOND
 SIGN SUMMARY SHEET NO. 11 OF 22
 SHEET 32 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NEW SIGN POSTS															REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.	NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL				W-SHAPE STEEL		FTG. SIZE		SIGN FRAME		DETAIL ON SHEET NUMBER	STD. SHEET NUMBER	
										1.12	2.0	3.0	3.0"Ø	4.0"Ø	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"	30"					
MM 22.18 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.18 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 22.18 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 22.19 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.21 LT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 22.61 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 22.63 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.64 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 22.64 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 22.64 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.64 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.64 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 22.64 LT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 22.65 RT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.67 LT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 22.69 RT		18' X 18'	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 22.71 LT		18' X 18' 24' X 30'	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.72 RT		18' X 18'	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.	TRAFFIC SIGN SUMMARY SHEET #12		PREPARED BY: SMR CHECKED BY: DATE: 7/8/96 DESIGN SUPERVISOR: DATE: _____ PROJ. NO. SHELTON-RICHFORD TRANSPORTATION PATH: STP BKE (17) S SIGN SUMMARY SHEET NO. 12 OF 22 SHEET 33 OF 43 SHEETS	
TOTALS			105.5							504.0			98.0														

PREPARED BY	SMR	DATE	7/8/96
CHECKED BY		DATE	
DESIGN SUPERVISOR			
PROJ.	SHELDON-RICHFORD		
	TRANSPORTATION PATH		
PROJ. NO.	STP BKE (17) S		
SIGN SUMMARY SHEET NO.	12	OF	22
SHEET	33	OF	43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS				TUBULAR STEEL				W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		FLANGED CHANNEL LB./FT.		TUBULAR ALUMINUM		TUBULAR STEEL		POST SIZE	WEIGHT	24"	30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER					
										1.12	2.0	3.0	3.0"φ	4.0"φ	FOUND- ATION									3"φ	3.5"φ	4.0"φ
MM 22.72 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 22.72 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.72 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.72 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 22.72 LT		18" X 18"	2.25	R1-1					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 22.73 RT		18" X 18" 24" X 30"	7.25						1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.75 LT		18" X 18"	2.25	R3-1A					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 22.92 RT		18" X 18"	2.25	R3-1A					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 22.94 LT		18" X 18" 24" X 30"	7.25						1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.95 RT		18" X 18"	2.25	R1-1					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 22.95 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 22.95 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.95 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.95 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 22.95 LT		18" X 18"	2.25	R1-1					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 22.96 RT		18" X 18" 24" X 30"	7.25						1			X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.98 LT		18" X 18"	2.25	R3-1A					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 23.03 RT		18" X 18"	2.25	R3-1A					1		X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.	TRAFFIC SIGN SUMMARY SHEET #13		
TOTALS			115.5										476.7	130.7											PREPARED BY CHECKED BY DESIGN SUPERVISOR PROJ. NO. SIGN SUMMARY SHEET NO. SHEET 34 OF 43 SHEETS	DATE 7/8/96 DATE STP BIKE (17) S 13 OF 22

PREPARED BY _____ DATE 7/8/96
 CHECKED BY _____
 DESIGN SUPERVISOR _____
 PROJ. _____
 SHELTON-RICHFORD
 TRANSPORTATION PATH
 STP BKE (17) S
 PROJ. NO. _____
 SIGN SUMMARY SHEET NO. 13 OF 22
 SHEET 34 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL				W-SHAPE STEEL		FIG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		1.12	2.0	3.0	3.0"Ø	4.0"Ø	FOUND- ATION	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"			30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER
MM 23.05 LT		18' X 18' 24' X 30'	7.25						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.06 RT		18' X 18'	2.25	R1-1					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 23.06 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 23.06 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.06 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.06 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 23.06 LT		18' X 18'	2.25	R1-1					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 23.07 RT		18' X 18' 24' X 30'	7.25						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.09 LT		18' X 18'	2.25	R3-1A					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 23.64 RT		18' X 18'	2.25	R3-1A					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 23.66 LT		18' X 18' 24' X 30'	7.25						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.67 RT		18' X 18'	2.25	R1-1					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 23.67 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 23.67 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.67 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.67 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
MM 23.67 LT		18' X 18'	2.25	R1-1					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 23.68 RT		18' X 18' 24' X 30'	7.25						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.	TRAFFIC SIGN SUMMARY SHEET #14			
TOTALS			120.5							495.6	349.2	130.7												PREPARED BY _____ DATE 7/8/96 CHECKED BY _____ DESIGN SUPERVISOR _____ PROJ. _____ SHELDON-RICHFORD TRANSPORTATION PART STP DIKE (17) S SIGN SUMMARY SHEET NO. 14 OF 22 SHEET 35 OF 43 SHEETS			

PREPARED BY _____ DATE 7/8/96
 CHECKED BY _____ DATE _____
 DESIGN SUPERVISOR _____
 PROJ. NO. _____
 SHELDON-RICHFORD
 TRANSPORTATION PATH
 STP BIKE (17) S
 SIGN SUMMARY SHEET NO. 14 OF 22
 SHEET 35 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS														REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE			SIGN FRAME	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER
										1.12	2.0	3.0	3.0"x 3"	4.0"x 4"	FOUND- ATION	3"x 3"	3.5"x 3"	4.0"x 4"	5.0"x 4"	POST SIZE	WEIGHT	24"	30"				
MM 23.70 LT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 24.18 RT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 24.20 LT		18" X 18" 24" X 30"	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.21 RT		18" X 18"	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 24.21 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 24.21 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.21 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.21 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152
MM 24.21 LT		18" X 18"	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
MM 24.22 RT		18" X 18" 24" X 30"	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.24 LT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 24.30 RT		24" X 30" 12" X 36"	8.00	R12-1 DM-3R					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.30 LT		12" X 36"	3.00	DM-3L					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.32 RT		12" X 36"	3.00	DM-3R					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.32 LT		24" X 30" 12" X 36"	8.00	R12-1 DM-3L					1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.33 RT		18" X 18"	2.25	R3-1A					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150
MM 24.35 LT		18" X 18" 24" X 30"	7.25						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 24.36 RT		18" X 18"	2.25	R1-1					1		X														SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S "SIGN POST DESIGN GUIDELINE".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TOTALS		
			98.5								226.8	315.9	65.4	65.4													
											542.7																
																								</			

TRAFFIC SIGN
SUMMARY SHEET #15

PREPARED BY: SMR DATE: 7/8/96.
CHECKED BY: DATE: _____
DESIGN SUPERVISOR: _____
PROJ. NO.: SHELTON-RICHMOND
TRANSPORTATION PATH
STP BKE (17) S
SIGN SUMMARY SHEET NO. 15 OF 22
SHEET 36 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS						W-SHAPE STEEL	FTG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL							
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		FLANGED CHANNEL LB./FT.		TUBULAR ALUMINUM		TUBULAR STEEL			POST SIZE	WEIGHT			24"	30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER				
										1.12	2.0	3.0	3.0"x 4.0"	4.0"x 5.0"	3"x 3.5"										4.0"x 5.0"			
MM 24.36 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X									SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152				
MM 24.36 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
MM 24.36 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
MM 24.36 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X									SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152				
MM 24.36 LT		18" X 18"	2.25	R1-1					1		X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143				
MM 24.37 RT		18" X 18" 24" X 30"	7.25						1			X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
MM 24.39 LT		18" X 18"	2.25	R3-1A					1		X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150				
MM 24.85 RT		18" X 18"	2.25	R3-1A					1		X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150				
MM 24.87 LT		18" X 18" 24" X 30"	7.25						1			X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
MM 24.88 RT		18" X 18"	2.25	R1-1					1		X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143				
MM 24.88 RT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X									SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152				
MM 24.88 RT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
MM 24.88 LT		24" X 24" 12" X 18"	5.5	R5-3 R9-6					1			X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
MM 24.88 LT		36" X 36" 24" X 18" 24" X 12"	14	W1-7					1				X									SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152				
MM 24.88 LT		18" X 18"	2.25	R1-1					1		X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143				
MM 24.89 RT		18" X 18" 24" X 30"	7.25						1			X										SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
MM 24.91 LT		18" X 18"	2.25	R3-1A					1		X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150				
MM 24.97 RT		12" X 36"	3.00	DM-3R					1		X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21					
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #16		PREPARED BY CHECKED BY DESIGN SUPERVISOR PROJ. NO. SIGN SUMMARY SHEET NO. 16 OF 43 SHEETS	SMR DATE 7/8/96
TOTALS			116.25							487.5	174.6	303.9	130.7															

PREPARED BY _____ DATE 7/8/96
 CHECKED BY _____ DATE _____
 DESIGN SUPERVISOR _____
 PROJ. NO. _____
 SIGN SUMMARY SHEET NO. 16 OF 22
 SHEET 37 OF 43 SHEETS

SMR _____
 SHELTON-RICHFORD
 TRANSPORTATION PATH
 STP BKE (17) S

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL				W-SHAPE STEEL		FTG. SIZE		SIGN FRAME	REMARKS	SIGN	DETAIL			
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		1.12	2.0	3.0	3.0"x 3"	4.0"x 4"	ROUND STEEL	3"x 3"	3.5"x 3"	4.0"x 3"	5.0"x 3"	POST SIZE	WEIGHT	24"			30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER		
MM 24.97 LT		12' X 36'	3.00	DM-3L					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 24.98 RT		12' X 36'	3.00	DM-3R					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 24.98 LT		12' X 36'	3.00	DM-3L							X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.49 RT		24' X 30' 12' X 36'	8.00	R12-1 DM-3R					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.49 LT		12' X 36'	3.00	DM-3L					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.51 RT		12' X 36'	3.00	DM-3R					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.51 LT		24' X 30' 12' X 36'	8.00	R12-1 DM-3L					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.58 RT		18' X 18'	2.25	R3-1A					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150			
MM 26.60 LT		18' X 18' 24' X 30'	7.25						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.61 RT		18' X 18'	2.25	R1-1					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143			
MM 26.61 RT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152			
MM 26.61 RT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.61 LT		24' X 24' 12' X 18'	5.5	R5-3 R9-6					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.61 LT		36' X 36' 24' X 18' 24' X 12'	14	W1-7					1				X											SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152			
MM 26.61 LT		18' X 18'	2.25	R1-1					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143			
MM 26.62 RT		18' X 18' 24' X 30'	7.25						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
MM 26.64 LT		18' X 18'	2.25	R3-1A					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150			
MM 26.66 RT		24' X 30' 12' X 36'	8.00	R12-1 DM-3R					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21				
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS. 233.4	LBS. 318.6	LBS. 65.4	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #17		PREPARED BY CHECKED BY DESIGN SUPERVISOR PROJ. SHELDON-RICHFORD TRANSFERRING PATH STP BKE (17) S SIGN SUMMARY SHEET NO. 17 OF 22 SHEET 38 OF 43 SHEETS	DATE 7/8/96	DATE
TOTALS			101.5								552.0		65.4																

PREPARED BY _____ DATE 7/8/06
 CHECKED BY _____ DATE _____
 DESIGN SUPERVISOR _____
 PROJ. NO. _____
 SIGN SUMMARY SHEET NO. 17 OF 22
 SHEET 36 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		NEW SIGN POSTS				W-SHAPE STEEL		FIG. SIZE		SIGN FRAME	REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		1.12	2.0	3.0	3.0"x 4	4.0"x 4	TUBULAR STEEL		POST SIZE	WEIGHT	24"	30"	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER					
															3"x 4	3.5"x 4									4.0"x 4	5.0"x 4	
MM 26.66 LT		12' X 36'	3.00	DM-3L					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 26.68 RT		12' X 36'	3.00	DM-3R					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 26.68 LT		24' X 30'	8.00	R12-1					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
		12' X 36'		DM-3L																							
MM 27.17 RT		18' X 18'	2.25	R3-1A					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-150	
MM 27.19 LT		18' X 18'	7.25						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
		24' X 30'																									
MM 27.20 RT		24' x 18' 12' X 4'	3.33	M4-12					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 27.20 RT		18' X 18'	2.25	R1-1					1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-143	
MM 27.20 RT		36' X 36'	11						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
		24' X 12'		W1-7																							
MM 27.20 LT		24' x 18' 12' X 4'	3.33						1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
		24' X 24'		M4-11																							
MM 27.20 LT		24' X 24'	5.5	R5-3					1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
		12' X 18'		R9-6																							
MM 27.20 LT		36' X 36'	11						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	E-152	
		24' X 12'		W1-7																							
MM 09.67 LT		24' x 18' 24' X 12'	3.33						1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 09.67 LT		24' x 18' 24' X 12'	3.33						1		X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 12.73 LT		36' X 36'	9						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 12.73 RT		36' X 36'	9						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 14.96 LT		36' X 36'	9						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 14.96 RT		36' X 36'	9						1			X												SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21		
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #18		
			102.57							606.88																	
TOTALS																											

PREPARED BY
CHECKED BY
DESIGN SUPERVISOR
PROJ.
SHEEDON-RICHFORD
TRANSPORTATION PATH
STP BKE (17) S
SIGN SUMMARY SHEET NO. 18 OF 22
SHEET 39 OF 43 SHEETS

SMR
DATE 7/8/96
DATE
DATE

DESIGNED BY _____ SMR _____ DATE 7/8/96
 CHECKED BY _____ DATE _____
 DESIGN SUPERVISOR _____
 PROJ. _____
 SHELTON-RICHMOND
 TRANSPORTATION PATH
 STP BKX (17) S
 PROJ. NO. _____
 SIGN SUMMARY SHEET NO. 18 OF 22
 SHEET 39 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

TRAFFIC SIGN SUMMARY SHEET																											
MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS														REMARKS	SIGN DETAIL		
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL				W-SHAPE STEEL		FIG. SIZE		SIGN FRAME		DETAIL ON SHEET NUMBER	STD. SHEET NUMBER	
										1.12	2.0	3.0	3.0"φ	4.0"φ	FOUND- ATION	3"φ	3.5"φ	4.0"φ	5.0"φ	POST SIZE	WEIGHT	24"					30"
MM 16.91 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 14.96 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.56 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 17.56 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 19.94 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 19.94 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 20.42 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 20.42 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.36 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 21.36 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.18 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.18 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.64 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 22.64 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 23.06 LT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 23.06 RT		36" X 36"	9.00						1			X													SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 11.66 RT		12" X 36" (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21	
MM 11.66 LT		12" X 36" (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.			LBS.	EA.	EA.			
TOTALS			156							816																	
TRAFFIC SIGN SUMMARY SHEET #19 PREPARED BY <u>SMR</u> DATE <u>7/8/96</u> DESIGN SUPERVISOR _____ DATE _____ PROJ. _____ SIGN SUMMARY SHEET NO. <u>19</u> OF <u>22</u> SHEET 40 OF 43 SHEETS																											

TRAFFIC SIGN
SUMMARY SHEET #19

PREPARED BY _____ SMR DATE 7/8/96
CHECKED BY _____
DESIGN SUPERVISOR _____
PROJ. _____
SHELTON-RICHFORD
TRANSPORTATION PATH
STP BK6 (17) S
PROJ. NO. _____
SIGN SUMMARY SHEET NO. 19 OF 22
SHEET 40 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS			EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS															REMARKS	SIGN DETAIL				
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.		SALV.	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE			SIGN FRAME	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER		
										1.12	2.0	3.0	3.0"Ø	4.0"Ø	ROUND 4.0"	3"Ø	3.5"Ø	4.0"Ø	5.0"Ø	POST SIZE	WEIGHT	24"	30"						
MM 11.91 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 11.91 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.05 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.05 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.28 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.28 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.35 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.35 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.54 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 12.54 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 13.75 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 13.75 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 13.84 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 13.84 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 13.91 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 13.91 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.23 RT		12' X 36' (2)	6.00	DM-3R				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
MM 14.23 LT		12' X 36' (2)	6.00	DM-3L				2	X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21			
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S " SIGN POST DESIGN GUIDELINE ".			SF.		EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #20		PREPARED BY _____ DATE 7/8/96. CHECKED BY _____ DATE _____ DESIGN SUPERVISOR _____ PROJ. NO. _____ SHELTON-RICHFORD TRANSPORTATION PATH STP INK (11) S SIGN SUMMARY SHEET NO. 20 OF 22 SHEET 41 OF 43 SHEETS		
TOTALS			108							486																			

0. DATA/VALUES/DESIGN/NO. THE AUG 15 17:55:19 1995 C:\00 204 PROJ 3RD CDR

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NO. OF POSTS	NEW SIGN POSTS														REMARKS	SIGN DETAIL			
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.		FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL				W-SHAPE STEEL		FIG. SIZE		SIGN FRAME		DETAIL ON SHEET NUMBER	STD. SHEET NUMBER		
										1/2	2.0	3.0	3.0"x	4.0"x	FOUND- ATION	3"x	3.5"x	4.0"x	5.0"x	POST SIZE	WEIGHT	24"					30"	
MM 14.52 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 14.52 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 16.32 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 16.32 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 19.48 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 19.48 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 19.98 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 19.98 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 20.61 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 20.61 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 21.38 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 21.38 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.22 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 22.22 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.43 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 23.43 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 24.96 RT		12' X 36' (2)	6.00	DM-3R					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 24.96 LT		12' X 36' (2)	6.00	DM-3L					2		X														SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DESIGN'S " SIGN POST DESIGN GUIDELINE "			SF.		EA.	SF.	EA.	EA.		LBS.	LBS. 486	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.		TRAFFIC SIGN SUMMARY SHEET #21		PREPARED BY CHECKED BY DESIGN SUPERVISOR PROJ. SHELDON-ROSFORD TRANSPORTATION PATH STP BIKE (17) S SIGN SUMMARY SHEET NO. 21 OF 22 SHEET 42 OF 43 SHEETS	DATE 7/8/06
TOTALS			108								486																	

FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD.
POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED
ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S
" SIGN POST DESIGN GUIDELINE ".

**TRAFFIC SIGN
SUMMARY SHEET #21**

PREPARED BY: SMR DATE: 7/8/96
CHECKED BY: _____ DATE: _____
DESIGN SUPERVISOR: _____
PROJ.: SHELTON-RICHMOND TRANSPORTATION PATH
PROJ. NO.: STP BKE (17) S
SIGN SUMMARY SHEET NO.: 21 OF 22
SHEET 42 OF 43 SHEETS

TRAFFIC SIGN SUMMARY SHEET

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS	NEW AND SALVAGED SIGNS				EXIST. POSTS		NEW SIGN POSTS															REMARKS	SIGN DETAIL				
			AREA	M.U.T.C.D. NO.	SALV. SIGN	SALV. T.I.S.	RET.	SALV.	NO. OF POSTS	FLANGED CHANNEL LB./FT.			TUBULAR ALUMINUM		TUBULAR STEEL					W-SHAPE STEEL		FTG. SIZE			SIGN FRAME	DETAIL ON SHEET NUMBER	STD. SHEET NUMBER		
										1.12	2.0	3.0	3.0"x3"	4.0"x4"	FOUNDATION	3"x3"	3.5"x3"	4.0"x4"	5.0"x5"	POST SIZE	WEIGHT	24"	30"						
MM 3.15 RT		12" X 36" (2)	6.00	DM-3R				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 3.15 LT		12" X 36" (2)	6.00	DM-3L				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 3.27 RT		12" X 36" (2)	6.00	DM-3R				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 3.27 LT		12" X 36" (2)	6.00	DM-3L				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 3.55 RT		12" X 36" (2)	6.00	DM-3R				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 3.55 LT		12" X 36" (2)	6.00	DM-3L				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 4.31 RT		12" X 36" (2)	6.00	DM-3R				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 4.31 LT		12" X 36" (2)	6.00	DM-3L				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 6.36 RT		12" X 36" (2)	6.00	DM-3R				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 6.36 LT		12" X 36" (2)	6.00	DM-3L				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 7.45 RT		12" X 36" (2)	6.00	DM-3R				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 7.45 LT		12" X 36" (2)	6.00	DM-3L				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 9.40 RT		12" X 36" (2)	6.00	DM-3R				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
MM 9.40 LT		12" X 36" (2)	6.00	DM-3L				2		X																SEE SHEET 19 FOR SIGN PLACEMENT DIMENSIONS	21		
SEE NOTE 4 ON SHEET 20 FOR RR MM		18" X 24" (52)	156	R2-1				52		X																SEE SHEET 20 FOR SIGN PLACEMENT DIMENSIONS		E-142	
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC & SAFETY DIVISION'S "SIGN POST DESIGN GUIDELINE".			SF.	EA.	SF.	EA.	EA.		LBS.	LBS.	LBS.	LBS.	LBS.	EA.	LBS.	LBS.	LBS.	LBS.		LBS.	EA.	EA.				PREPARED BY: SMR CHECKED BY: _____ DESIGN SUPERVISOR: _____ PROJ. NO.: _____ SHEET SUMMARY SHEET NO. 22 OF 22 SHEET 43 OF 43 SHEETS		DATE: 7/8/96	
TOTALS			240						1678			1678											SUMMARY SHEET #22						