

ASCE
CERTIFIED
FABRICATOR

PROJECT NUMBER 1738

VERMONT AGENCY OF TRANSPORTATION

COLCHESTER - HIGHGATE

INTERCHANGE #19

TRI CHORD OVERHEAD SIGN STRUCTURE

860-633-9445

GLASTONBURY, CT

860-633-9445

GLASTONBURY, CT

TRI CHORD OVERHEAD SIGN STRUCTURE

INTERCHANGE #19

COLCHESTER - HIGHGATE

VERMONT AGENCY OF TRANSPORTATION

GENERAL CONTRACTOR

F.R. LaFayette

DATE 03-04-10

CHECKED

SCALE

N.T.S.

SIZE

D

REVISIONS

No. 0

Initial submittal

03-04-10

Remarks

Date

TRUSS TB1

FRONT VIEW

Front view of Truss TB1. The truss is a triangular structure with a total height of 4'-0" and a total width of 33'-5 3/4". The top chord consists of two 2'-6" segments, and the bottom chord consists of two 2'-6" segments. The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2".

M VIEW

M view of Truss TB1. The truss is a triangular structure with a total height of 4'-0" and a total width of 29'-8 7/16". The top chord consists of two 2'-6" segments, and the bottom chord consists of two 2'-6" segments. The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2".

SIDE VIEW

Side view of Truss TB1. The truss is a triangular structure with a total height of 4'-0" and a total width of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2".

SPLICE DETAIL

Splice detail of Truss TB1. The detail shows a 4.5" O.D. pipe with a .237" wall. The pipe is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2".

DETAIL "C"

Detail C of Truss TB1. The detail shows a 4.5" O.D. pipe with a .237" wall. The pipe is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2".

DETAIL "B"

Detail B of Truss TB1. The detail shows a 4.5" O.D. pipe with a .237" wall. The pipe is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2".

DETAIL "A"

Detail A of Truss TB1. The detail shows a 4.5" O.D. pipe with a .237" wall. The pipe is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2". The truss is supported by two 4.5" O.D. pipes, each with a .237" wall. The truss is composed of two main sections, each with a height of 3'-5 1/2".