





GENERAL NOTES

ALL CONCRETE SHALL BE 3000 PSI AT 28 DAYS/MAX. SLUMP OF 4".
ALL EXPOSED CONCRETE WALLS SHALL BE REINFORCED WITH 2" X 12" JOINTS IN EXPOSED FACE.
ALL CONCRETE TO BE CURED 5/8" TO BE COVERED WITH SIALKRAFT 4105/57.
EXPANSION JOINTS TO HAVE TOoled EDGES.



STATE OF VERMONT
DIVISION OF STATE BUILDINGS
AGENCY OF ADMINISTRATION
VERMONT

Standard Four Bay Highway Garage Bldg.
FLOOR PLAN & FOUNDATION DETAILS


SCALE: As noted

REVISIONS	DATE	BY	REVISION
1	10-18-74	DESIGNED BY: [Signature]	
2		DRAWN BY: [Signature]	
3		APPROVED BY: [Signature]	
4		STUDIO SEEN INC.	


DWG. NO. A1

GENERAL NOTES


FINISH GRADE SHALL BE MIN. OF 6" BELOW FINISH FLOOR - AT BLDG OR RIGHT, LEFT & REAR ELEVATIONS, TO BE SLOPED AWAY FROM BLDG AND GRADED IN A WORKMAN LIKE TO PROHIBIT WATER POCKETS OR EXCESSIVE WASHING ALL EXPOSED CONCRETE SHALL BE RUBBED TO 4" BELOW FINISH GRADE. BUILD UNDER CONSTRUCTION JOINTS SHALL HAVE A V-GROOVE TO 4" BELOW FIN. GRADE. CAULK ALL JOINTS BETWEEN WORKMAN AND WOOD OR METAL.




FRONT ELEVATION




REAR ELEVATION




RIGHT END ELEVATION



LEFT END ELEVATION



CHIMNEY CAP DETAIL



SECTION D-D
SUBMIT SHOP DRAWINGS
AT ALL 'A', 'C' & 'D' WINDOWS
FOR WINDOW INSTALLATION.

SECTION SCALE 1/2" = 1'-0"

REVISIONS	DATE	BY	REVISION
1	7-5-76	JK	REVISIONS - CORRECTIONS

STATE OF VERMONT
DIVISION OF STATE BUILDINGS
AGENCY OF ADMINISTRATION
MONTPELIER, VERMONT

Standard Four Bay Highway Garage Bldg.
ELEVATIONS

SCALE: As Noted

DATE: 10-18-74	DESIGNED BY: [Signature]	DWG. NO. A2
DRAWN BY: [Signature]	APPROVED BY: [Signature]	OF [Blank]
STUDIO DESIGN INC.		

Floor plan of the Dutch House. The plan shows a large central hall with a fireplace, a kitchen, a dining room, and a living room. The plan is labeled "DUTCH HOUSE" and "DUTCH DOOR".

1" Ø PIPE
HANDRAIL
D. FOUNTAIN

1" V. DUMPTY
JOINT

26" x 36"
WIRE
GLASS

1" POL
PLATE
GLASS

1" C.B.

DO NOT SCALE

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

— BULLNOSE BLOCK —

- BULLNOSE BLOCH

Diagram illustrating the construction of a sill plate using a solid bulldozer block for the sill.

The diagram shows two cross-sections of a foundation wall and sill plate assembly.

Left Section:

- PRECAST OR CAST IN PLACE SILL:** Indicated by a blue hatched area.
- SOLID BULLDOSE BLOCK FOR SILL:** Indicated by a white area below the sill.
- DIP:** Indicated by a small gap or notch at the bottom left corner of the sill plate.

Right Section:

- SOLID BULLDOSE BLOCK FOR SILL:** Indicated by a white area below the sill.

1 SEALANT & 2 PREMOLDED

FIN. GR. →

(THRU "B" WINDOWS)

(THRU OVERHEAD DOOR AREA)

CAULK ALL JOINTS BETWEEN MASONRY AND DISSIMILAR MATERIALS IN A WORKMAN LIKE MANNER, E.I. METAL WINDOW FRAMES.
ALL EXTERIOR DOORS SHALL HAVE NON REMOVABLE PIN HINGES
ROOF DESIGN LOAD: $LL = 50^{\#}/SQ. FT.$

NOTES: - DOORS & FRAMES TO BE HOLLOW METAL.
ALL GLASS SHALL BE 1" POL. BK. GLASS (EXCEPT AS NOTED).
FOR FRAME DETAILS SEE BELOW.
EXT. DOORS TO HAVE ALUM. SADDLES.
DOORS TO BE WEATHERSTRIPPED. ALL SIDES.

DOORS TO BE WEATHERSTRIPPED. ALL SIDES

SILICONE RUBBER
SEALANT - BOTH FACES



12 CONCRETE BLOCK
SHOWN (OTHER WALLS
SIMILAR) — RAPID CONTROL
JOINT

TYPICAL
BLOCK EXP. JOINT _____
SECTION 5-5-ABOVE DOOR

SECTION 5-5-ABOVE DOOR

JAMB *KL*
TYP. INT. DOOR DETAILS

TYP. INT. DOG

(5) THE ANCHOR

EXTERIOR DOOR DETAILS FOR HOLLOW MET. FRAMES

HOLLOW MET. FRAMES

STATE OF VERMONT
DIVISION OF STATE BUILDINGS
AGENCY OF ADMINISTRATION
MONTPELIER, VERMONT

MONTPELIER, VERMONT


Standard Highway Garage Building SELECTED DETAILS

SCALE: 1 1/2" = 1'-0" or as noted


DATE:	DESIGNED BY
-------	-------------

10-18-74	A3
----------	----

10-18-74	A3
----------	----




PLAN OF CONCRETE SLAB AT MEZZANINE
SCALE: 1/8" = 1'-0"




GENERAL NOTES

1. CONCRETE - 3000 PSI @ 28 DAYS, MAXIMUM SLUMP 4".
2. ALL EXPOSED CONCRETE TO BE RUBBED AND CURED.
3. ALL EXPOSED SLABS & CONCRETE STEPS TO BE COVERED & PROTECTED FOR DURATION OF JOB UNTIL ACCEPTANCE.
4. EXPOSED CURB CORNERS TO BE CHAMFERED.
5. DAYS @ 70° F. RE-SHORE AFTER STRIPPING - 14 DAYS.
6. PROTECT MASONRY FROM CONCRETE - SLAB DIPPING.
7. REINFORCING STEEL TO BE LAPPED 40 DIA.
8. ALL STEPS ARE TO BE PLACED ON SLAB PVC PLASTIC.
9. ELECTRICAL CONDUIT TO BE LAYED ABOVE BOTTOM FACE OF STEEL.
10. ONE SECTION OF RAILINGS EACH SIDE OF STAIRS TO BE REMOVABLE.
11. INTO SLEEVES. POSTS TO BE LEADED.
12. ALL CONCRETE SLABS SHALL BE SMOOTH TROWELED.
13. CONCRETE STAIR TREADS SHALL HAVE INTEGRAL ABRASIVE HARDENER.




SECTION 1-1
SCALE: 3/4" = 1'-0"

SECTION 3-3
SCALE: 1/2" = 1'-0"




SECTION 4-4
SCALE: 1/2" = 1'-0"


SECTION 5-5
SCALE: 1/2" = 1'-0"




SECTION 6-6
SCALE: 1/2" = 1'-0"



DETAIL 'A'
SCALE: 1/2" = 1'-0"



DETAIL 'B'
SCALE: 1/2" = 1'-0"




NO	BY	DATE	REVISION
A	TJB	8/4/75	REIN. # 5 CURB DETAILS


STATE OF VERMONT
DIVISION OF STATE BUILDINGS
AGENCY OF ADMINISTRATION
MONTPELIER.
VERMONT

Standard Highway Garage Building
DETAILS OF MEZZANINE, BOILER
ROOM SLABS AND CONC. STAIRWAY
SCALE: As noted


DATE: 10-18-74	DESIGNED BY: T.J.S.	DWG. NO. A4
DRAWN BY: STUDIO SEVEN INC.	APPROVED BY: J.S.F.	4 OF 4




SEE DRAWING H-2 FOR SCHEDULE & GENERAL NOTES






GARAGE PAINTBENCH
DETAILS AND LOCATION
SEE DWG. 5



PLUMBING PLAN
SCALE: 1/8" = 1'-0"



TYPICAL SECTION
SCALE: 1/4" = 1'-0"



- LEGEND
- H.W.S. ---
 - H.W.R. ---
 - BURNER SAFETY SWITCH (GAS) & GAS VALVE
 - T STATE
 - PIPE SUPPLY TO BOTTOM & RETURN TO TOP
 - H.U.H.
 - GATE VALVE
 - CHECK VALVE
 - BALANCING COCK
 - FLOW CONTROL VALVE
 - UNION
 - FUSIBLE LEVER-WRITIC VALVE
 - STRAINED
 - PRV - ALL BRONZE
 - BACK FROM REPAIRS




SEE DRAWING H-2 FOR SCHEDULES & GENERAL NOTES

DATE	DESIGNED BY	CHECKED BY	DATE
10-18-74	C.W. MASTERS	W.D. MASTERS	11-1-74
DESIGNED BY	C.W. MASTERS	CHECKED BY	W.D. MASTERS
STUDIO ARCH INC.	101 E. 1st St.	101 E. 1st St.	101 E. 1st St.



STATE OF VERMONT
DIVISION OF STATE BUILDINGS
AGENCY OF ADMINISTRATION
MONTPELIER, VERMONT

Standard Five Bay Highway Garage Bldg.
HEATING PLAN

SCALE: AS SHOWN



HEATING EQUIPMENT SCHEDULE (RATINGS @ 130° F.W.T. W/20° DIFFERENTIAL)									
MARK	TYPE	MANUFACT.	MODEL	M.B.H.	H.P.	DISCHARGE	R.P.M.	C.F.M.	REMARKS
H#H 1/2	UNIT HEATER	MOHME	HS-55	100	1/4	HORIZ.	1075	2090	WITH NOISE REDUCED GOOD ADJUSTABLE W/20° DIFF. UNIT
V#H 1/2	UNIT HEATER	MOHME	V-810	145	1/4	VERTICAL	1075	3550	
P-1	IN-LINE	BELL & GOSSETT	60-2A4	40 GPM	3/4	5 1/4" IMP.	1725	25 HD	
P-2	IN-LINE	BELL & GOSSETT	60-2A4	40 GPM	3/4	5 1/4" IMP.	1725	25 HD	
P-3	IN-LINE	BELL & GOSSETT	60-12A	25 GPM	1/2	5 1/4" IMP.	1725	25 HD	
P-4D	STERLING SH-15 VERTICAL	STERLING	S-144	102					1 1/4" IPS, STERLING TYPE 40 P.S.I. PER FT.



- # GENERAL NOTES
1. CONTRACTOR SHALL SUBMIT DATA & CUTS OF EQUIPMENT FOR APPROVAL PRIOR TO ORDERING MATERIAL.
 2. ALL PIPING IS SCHEMATIC; CONTRACTOR SHALL CO-ORDINATE HIS WORK WITH OTHER TRADES.
 3. MOTORS ON ALL NEW UNIT HEATERS SHALL BE TOTALLY ENCLOSED FRAME CONSTRUCTION WITH PERMANENT OVERLOAD PROTECTION & BUILT-IN THERMAL OVERLOAD PROTECTION.
 4. HEATING CONTRACTOR SHALL PROVIDE SERVICE SWITCH AT EACH UNIT HEATER.
 5. SEE SITE PLAN FOR LOCATION OF BURIED OIL TANK.

5. ALL WATER SUPPLY PIPING ABOVE FLOOR SLAB ELEVATION SHALL BE INSULATED. INSULATION SHALL BE PAINTED.
7. ALL HEATING PIPING IN THE BOILER RM, MAIN BUILDING, & THRU SLEEVES SHALL BE INSULATED AND THE INSULATION PAINTED.
8. EACH CIRCULATING PUMP SHALL HAVE BUILT-IN THERMAL OVERLOAD PROTECTION.
9. EACH UH SHALL HAVE AN AQUASTAT CONTROL TO PREVENT THE FAN FROM OPERATING BELOW A PREDETERMINED MIN TEMP. TO PREVENT COLD SURFACES FROM FORMING ICE. THE SURFACES SHALL SWITCH FANS AND CIRC. PUMPS OFF WHEN HEAT DEMAND IS SATISFIED.
10. ALL PUMPS SHALL BE RATED TO OPERATE ON 120/240V/1PH/3W UNLESS OTHERWISE SPECIFIED OR INDICATED.
11. PROVIDE ONE OIL BURNER SAFETY SWITCH OUTSIDE OF BOILER RM DOOR AND ANOTHER AT MAIN ENTRANCE OF BUILDING AT HAD POOL.
12. BOILER RM FINISHED FLOOR TO BE SAME ELEV. AS MAIN FINISHED FLOOR BUT SHALL BE PITCHED TOWARD DRAIN.
13. CONCRETE BOILER PAD SHALL BE LEVEL. (BT O.C.)

- HEATING CONTRACTOR SHALL SET SLUICES AND HANGER SUPPORTS IN BOLLETS IN CONCRETE ROOF SLAB BEFORE POURING OF SLAB. NO OPENINGS THRU CONCRETE ROOF SLAB ALLOWED.

DATE		DESIGNED BY:		DWG. NO.	
10-18-74		C. J. MASTRO		H 2	
DRAWN BY:		APPROVED BY:			
J. C. SEVER, INC.		J. C. SEVER, INC.		2 OF 2	

SMITH CRAFT "TECH" 30. TEC. 2-405 DREDAUN
(MOUNT ON BOTTOM OF JOISTS)

TRANSFER SWITCH

DISCONNECT (FUSED) FOR WELL PUMP
PROVIDE CONDUIT & WIRING TO
DISTRIBUTION PANEL.

- ① 100 AMP WELDER OUTLET
- ALLOW FOR TELEPHONE SLEEVE THRU EXTERIOR WALL
- COORDINATE WITH LOCAL TELEPHONE CO.

ALL WALL OUTLETS OF OFFICE & ROOM SPACES SHALL BE AT LEAST 36" OFF FLOOR. (IN BOLTER RM. KEEP OUTLETS MIN 3'-0" ABOVE PL.

S_{3B} BURNER SAFETY SWITCH - MOUNT 6'-0" ABOVE FIN. FL.

ALL ELECTRICAL CONDUIT FOR OFFICE, TOILET, TOOL RM AND GEAR RM, CEILINGS SHALL BE CONCEALED IN THE CONCRETE MEZZANIN SLAB.

ALL WALL RECEPTACLES AND CONDUIT BELOW BOTTOM OF BAR JOISTS SHALL BE CONCEALED, EXCEPT TO U.H. HOODS


POWER PANEL SCHEDULE	
CIRCUIT BREAKER TYPE	NBS WESTINGHOUSE 120/240V 1" SW
PANEL #	400 AMP MAIN DISCONNECT - 10,000 ICR BREAKERS 30 POLES
LOCATION	INDUSTRIAL

CIRC.	100	6	EQUIPMENT SURVIVED	10	REPAIRS
P-1	100	6	EQUIPMENT NOT FOUND		
P-2	100	5	MISSING SUBJECTS		
P-3	100	2	do		LFP BRK.
P-4	20	1	TOLY & ANNE ECH. SUBJECT		
P-5	20	1	MISS. EVIDENCE		
P-6	20	1	SHOP LIGHTING		
P-7	20	1	do		LFP BRK.
P-8	20	1	SHOP RECEPTIONAL (ROOM)		
P-9	20	1	do (ROOM)		
P-10	20	1	do		
P-11	20	1	HID-BAY RECEIVING JERRY		
P-12	20	1	SHOP RECEIVING AREA		LFP BRK.
P-13	20	1	CIRC. PUMP ROOM "2"		
P-14	20	1	SPARE		
P-15	20	1	do		
P-16	20	1	do		

EMERGENCY DUTY PANEL SCHEDULE

PANEL NO.	CIRCUIT BREAKER TYPE	VOLTS	AMPS	FUSE	REMARKS
PANEL 100	1" 3 WIRE	100 AMP	N/A	N/A	

CLASS.	NO.	EQUIPMENT	STATUS	REMARKS
1	40	AIR COMPRESSOR	1	
2	20	BURNER	1	
3	20	WELL PUMP	1	
4	20	GAS PUMP		
5	20	OFFICE LIGHTING		
6	1	HEAT. LIGHTING		
7	10	SHOP LIGHT (CHINA) 100		
8	20	BOILER ROOM LIGHTING		
9	1	BOILER ROOM HEATER		
10	20	HEAT. L.T.B.		
11	20	CIRC. PUMP ROOM		
12	10	CIRC. PUMP ROOM		
13	20	OFFICE REFRIGERATOR		
14	20	STOVE		
15	1			



SCALE: 1/2" = 1'-0"

SCALE: 1 x 1 -

STATE OF VERMONT
DIVISION OF STATE BUILDINGS
AGENCY OF ADMINISTRATION
MONTPELIER, VERMONT


Standard Four Bay Highway Garage Bldg.
ELECTRICAL PLAN

DATE: Aug. 2018

DATE 10-10-74	RECEIVED BY SUN MASTED.	FILE NO. E-1
ISSUED BY 	RECEIVED BY 	

GENERAL NOTES

- SMITHCRAFT 'TECH' 30-TEC. 2-405 (MOUNT ON BOTTOM OF JOISTS)
- WESTINGHOUSE 1-TUBE RS STRIP 5 STIMOR (MOUNT BETWEEN JOISTS)
- SMITHCRAFT DOMINAIRE 6-DMA-2-40 (SURFACE MOUNT TO CEILING)
- THERMOSTAT - CONNECT TO CIRCUIT 12 AND TO SUB-PANEL CIRCUIT 4. MOUNT ON PLYWOOD 5'-6" OFF FLOOR (SEE H-1)
- 50 AMP WELDER OUTLET
- ALLOW FOR TELEPHONE SLEEVE THRU EXTERIOR WALL COORDINATE WITH LOCAL TELEPHONE CO.
- ALL WALL OUTLETS OF OFFICE & ROOM SPACES SHALL BE AT LEAST 36" OFF FLOOR (IN BOILER RM. KEEP OUTLETS MIN. 3'-0" ABOVE FL.)
- 50 AMP BURNER SAFETY SWITCH - MOUNT 6'-0" ABOVE FIN. FL.
- ALL ELECTRICAL CONDUIT FOR OFFICE TOILET, TOOL RM. AND GREASE RM. CEILING SHALL BE CONCEALED IN THE CONCRETE MEZZANINE SLAB.
- ALL WALL RECEPTACLES AND CONDUIT BELOW BOTTOM OF BAR JOISTS SHALL BE CONCEALED.



ELECTRICAL PLAN
(5 DAY)
SCALE: 1/8"=1'-0"

POWER PANEL SCHEDULE					EMERGENCY DISTRIBUTION PANEL SCHEDULE				
CIRC.	AMP.	BREAKER TYPE	STYLE NO.	REMARKS	CIRC.	AMP.	BREAKER TYPE	REMARKS	
PANEL P-1	3W 400 AMP	MAIN DISCONNECT	10,000 TOR BRK 30(COULDS)		PANEL EDP	80 POLE MIN. 120/240 15 WIRE 100 AMP MAIN DISCONNECT			
P-1	100	2	EMERGENCY DIST. PANEL		P-1	40	2	AIR COMPRESSOR	
P-2	50	2	WELDING RECEPTACLE		P-2	20	1	BURNER	1
P-3	20	2	do		P-3	20	2	WELL PUMP	1
P-4	20	1	TOILET & STOR. RM. RECEPT.		P-4	20	1	GAS PUMP	
P-5	20	1	BLOC. EXHAUST		P-5	20	1	OFFICE LIGHTING	
P-6	20	1	SHOP LIGHTING		P-6	20	1	MEZZ LIGHTING	
P-7	20	1	do		P-7	20	1	SHOP LIGHTING (MIDDLE BAY)	
P-8	20	1	SHOP RECEPTACLES (FRT)		P-8	20	1	BOILER ROOM LIGHTING	
P-9	20	1	SHOP RECEPTS (REAR)		P-9	20	1	BOILER ROOM RECEPTS	
P-10	20	1	do		P-10	20	2	VEHICULAR ENH. FAN	2
P-11	20	1	MID BAY RECEPT. 150TS.		P-11	20	1	HUN. 1, 2, 3,	
P-12	20	1	SHOP RECEPTS		P-12	20	1	CIRC. PUMP ZONE 1	3
P-13	20	1	CIRC. PUMP (ZONE 2)	2	P-13	20	1	CIRC. PUMP ZONE 3	2
P-14 to 16	20	1	SPARES		P-14	20	1	OFFICE RECEPTACLES	
P-17 to 19	30	2	SPARES		P-17	15	17	SPARES	
P-20 to 24	20	1	SPARES						

REVISIONS

NO.	DATE	REVISION
1	10-18-74	REVISION

STATE OF VERMONT
DIVISION OF STATE BUILDINGS
AGENCY OF ADMINISTRATION
MONTPELIER, VERMONT

Standard Five Bay Highway Garage Bldg.
ELECTRICAL PLAN

SCALE: 1/8"=1'-0"

DESIGNED BY: [Signature]
CHECKED BY: [Signature]
DATE: 10-18-74
DRAWN BY: [Signature]
DATE: 10-18-74

FIG. NO. E-1