


MS # 574



VT 116 NORTH

SHELburnE FALLS RD


CVU RD

4

6

3
8

 RADAR DETECTOR
 CONTROL BOX
 RADAR DETECTION
 PULL BOX
 LUMINAIRE


(B) = 
(C) =  LEFT TURN
YIELD
ON GREEN
(AI) =  DELAYED
GREEN

VT 116 SOUTH

1 2

NOT TO SCALE

MS # 574



VT 116 NORTH

SHELburnE FALLS RD

CVU RD

13'



STOP BAR 13'

STOP BAR 16'



16'

12'



STOP BAR 12'

STOP BAR 14'



14'

VT 116 SOUTH

NOT TO SCALE

DIAGRAM				
TIMING	$G =$ $Y =$ $G =$ $Y =$ $G =$ $Y =$ $G =$ $Y =$			
DIAGRAM				
TIMING	$G =$ $Y =$ $G =$ $Y =$ $G =$ $Y =$ $G =$ $Y =$			
PROTECTED TURNS		PERMITTED TURNS PEDESTRIAN		CYCLE LENGTH, C= _____ S

 **ECONOLITE**

PROPERTY OF:
VT. AGENCY OF TRANS.
MAINTENANCE DIV.
IN EMERGENCY CALL:
DIST. TRANS. OFFICE
NIGHTS & WEEKENDS:
INTERSECTION NO. _____



CUBE
150
200
RED
YELLOW
GREEN

PS 100
Click! 11
Click! 11
Click! 11
Click! 11
Click! 11

tsc
MC L 304-15
JBE 04

*48 2x1-44
4 2 13*

ECONOLITE
CONTROL PRODUCTS, INC.

F1 MAIN MENU F2 NEXT SCREEN
F3 SUB MENU F4 NEXT DATA
F5 DISPLAY ADJUST F6 NEXT PAGE
F7 STATUS DISPLAY F8 HELP

CURSOR

1 2 3
4 5 6
7 8 9
0 ENTER

TOGGLE SPEC FUNC CLEAR

D PORT 3 TELEMEMORY PORT 1 TELEMEMORY PORT 2 VIDEO TERMINAL

A B C

ASC/2-200

RESET AFTER MODIFYING SWITCHES

FAULT MONITOR FAIL

RESET POWER MODE

MIN FLASH DUAL SEL OPTIONS

8421AB ABCDEF

1 2 3 4 5 6


SSM SSM


7 8 9 10 11 12

ECONOLITE
CONTROL PRODUCTS, INC.

CONTROLLER


CONFLICT
NO MOTOR







⚡ DANGER / PELIGRO
HAZARD OF ELECTRICAL SHOCK OR BURN
SERVICE BY UTILITY AUTHORIZED PERSONNEL ONLY
DO NOT PAINT OVER OR REMOVE THIS LABEL
PELIGRO DE DESCARGA ELÉCTRICA O QUEMADURA
SOLAMENTE PERSONAL AUTORIZADO DE LA COMPAÑIA
ELÉCTRICA PUEDEN MANTENIRLO
NO PINTES ENCIMA NI REMUEVA ESTA ETIQUETA



0200037
GMP

⚡ DANGER / PELIGRO
HAZARD OF ELECTRICAL SHOCK OR BURN
SERVICE BY UTILITY AUTHORIZED PERSONNEL ONLY
DO NOT PAINT OVER OR REMOVE THIS LABEL
PELIGRO DE DESCARGA ELÉCTRICA O QUEMADURA
SOLAMENTE PERSONAL AUTORIZADO DE LA COMPAÑIA
ELÉCTRICA PUEDEN MANTENIRLO
NO PINTES ENCIMA NI REMUEVA ESTA ETIQUETA







ROUTE 116

STOP
HERE ON
RED
↓







LEFT TURN
YIELD
ON GREEN

LEFT TURN
YIELD
ON GREEN







DELAYED
GREEN

DELAYED
GREEN

ROUTE 116

LEGAL LOAD
LIMIT
55000
POUNDS
REDUCED
SPEED
AHEAD

ROUTE 116
SHELBURNE FALLS RD







DELAYED
GREEN

Dimming:

[illegible]

.....

[illegible]

	Week of Year																	
Prog	1 1	2 1	3 1	4 1	5 1	6 1	7 1	8 1	9 1	10 1	11 1	12 1	13 1	14 1	15 1	16 1	17 1	18 1
Prog	19 1	20 1	21 1	22 1	23 1	24 1	25 1	26 1	27 1	28 1	29 1	30 1	31 1	32 1	33 1	34 1	35 1	36 1
Prog	37 1	38 1	39 1	40 1	41 1	42 1	43 1	44 1	45 1	46 1	47 1	48 1	49 1	50 1	51 1	52 1	53 1	

NIC Program Steps

Step	Program	Step Begins	Pattern	Override
------	---------	-------------	---------	----------

TOD Program Steps

Step 1 Program 1 Step Begins 0600

Flash.	Dimming Enable.
Red Rest	Alt Veh Extension
Spare 5.	Det Log Enable.
Spare 3.	Spare 4
Type 0 Dly Enable. . .	Spare 2
Det Diag Plan. . . . 0	

	Phase Number											
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	.	.	.	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.

Step 2 Program 1 Step Begins 0900

Flash.	Dimming Enable.
Red Rest	Alt Veh Extension
Spare 5.	Det Log Enable.
Spare 3.	Spare 4
Type 0 Dly Enable. . .	Spare 2
Det Diag Plan. . . . 5	

	Phase Number											
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	X	.	X	.	X	.	X	.	.	.	.
Max 3 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	X	.	X	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.

TOD Program Steps

Step 3 Program 1 Step Begins 1600

Flash.	.	Dimming Enable.	.
Red Rest	.	Alt Veh Extension	.
Spare 5.	.	Det Log Enable.	.
Spare 3.	.	Spare 4	.
Type 0 Dly Enable. . .	.	Spare 2	.
Det Diag Plan.	0		

	Phase Number											
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable	.	X	.	X	.	X	.	X	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	X	.	X	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.

Step 4 Program 1 Step Begins 1800

Flash.	.	Dimming Enable.	.
Red Rest	.	Alt Veh Extension	.
Spare 5.	.	Det Log Enable.	.
Spare 3.	.	Spare 4	.
Type 0 Dly Enable. . .	.	Spare 2	.
Det Diag Plan.	0		

	Phase Number											
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	X	.	X	.	X	.	X	.	.	.	.
Max 3 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	X	.	X	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.

TOD Program Steps

Step 5	Program 1	Step Begins	2300
--------	-----------	-------------	------

Flash.	X	Dimming Enable.	.
Red Rest	.	Alt Veh Extension	.
Spare 5.	.	Det Log Enable.	.
Spare 3.	.	Spare 4	.
Type 0 Dly Enable. . .	.	Spare 2	.
Det Diag Plan. . . .	0		

	Phase Number											
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	.	.	.	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.
