


US 5 NORTH

MS # 715



2

4

7

VT 114 NORTH

VT 122 NORTH


STOP

STOP


YIELD

6


8



CONTROL BOX




LOOP DETECTION



LUMINAIRE


(C)

=




(B)

=




US 5 SOUTH



US 5 NORTH

MS # 715



12'

10'

12'

12'

VT 122 NORTH

STOP BAR 11'
STOP BAR 13'

STOP
STOP

VT 114 NORTH

12'

STOP BAR 12'

STOP BAR 12'






12'


13'

12'


YIELD
16'

US 5 SOUTH

D I A G R A M 				
TIMING	G = Y =	G = Y =	G = Y =	G = Y =
D I A G R A M				
TIMING	G = Y =	G = Y =	G = Y =	G = Y =



PROTECTED
TURNS



PERMITTED
TURNS
PEDESTRIAN

CYCLE LENGTH, C= _____ S





DANGER

115 VOLTS A.C.

WARNING

DO NOT OPERATE
CABINET WITHOUT
CMU / MMU

RECONOLITE



B.I.U.
DETECTOR

L3
L4

L1
L2

L7
L8

L5
L6

L11
L12

L9
L10

L15
L16

L13
L14


PREEMPTOR
EVP#3
EVP#4


PREEMPTOR
EVP#5
EVP#6

DETECTOR
SWITCHING
MODULE

WATCHDOG TIMEOUT
PROCESSOR FAILURE!
CONTROLLER SHOULD BE BENCH CHECKED
TO RESET. REMOVE POWER FOR 5 SECONDS
OR MORE, THEN REAPPLY POWER.

F1 MAIN MENU	F2 NEXT SCREEN		1	2	3
F3 SUB MENU	F4 NEXT DATA		4	5	6
F5 DISPLAY ADJUST	F6 NEXT PAGE		7	8	9
F7 STATUS DISPLAY	F8 HELP		ENTER	TOGGLE SPEC FUNC	0







TYPE I-55-S
GENERAL ELECTRIC

3 3 2 3

KILOWATTHOURS

SINGLE STATOR WATERHOUS METER

CL100 • 240V 3W • 60 • TA15
R271

3227

• 01 924 001 •

MADE IN U.S.A.

ANCHOR

↑ DANGER
Hazardous Voltage. Call for
Service. High Voltage
Contact with live parts
may result in death or
serious injury. Do not
touch. Lock and tag out
before working on this
equipment. See safety
instructions and warnings.
WARNING & SAFETY INSTRUCTIONS, PNL 541111

General Electric
Type I-55-S

Signals

Street
Lights



NORTH

VERMONT

114



SOUTH

5



NORTH
122
→

TO
91
→



NORTH
VERMONT
122
→

TO
INTERSTATE
91
→





















NORTH VERMONT 122 NORTH VERMONT 5 NORTH VERMONT 114




TO INTERSTATE 91

















LEFT TURN
YIELD
ON GREEN



Dimming:

[illegible]

[illegible]

	Week of Year																	
Prog	1 1	2 1	3 1	4 1	5 1	6 1	7 1	8 1	9 1	10 1	11 1	12 1	13 1	14 1	15 1	16 1	17 1	18 1
Prog	19 1	20 1	21 1	22 1	23 1	24 1	25 1	26 1	27 1	28 1	29 1	30 1	31 1	32 1	33 1	34 1	35 1	36 1
Prog	37 1	38 1	39 1	40 1	41 1	42 1	43 1	44 1	45 1	46 1	47 1	48 1	49 1	50 1	51 1	52 1	53 1	

NIC Program Steps

Step	Program	Step Begins	Pattern	Override
------	---------	-------------	---------	----------

TOD Program Steps

Step 1 Program 1 Step Begins 0600

Flash.	Dimming Enable.
Red Rest	Alt Veh Extension
Spare 5.	Det Log Enable.
Spare 3.	Spare 4
Type 0 Dly Enable. . .	Spare 2
Det Diag Plan. . . . 0	

Phase Number												
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	X	.	X	.	X	X	X	.	.	.	.
Max 3 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	.	.	.	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.

Step 2 Program 1 Step Begins 0900

Flash.	Dimming Enable.
Red Rest	Alt Veh Extension
Spare 5.	Det Log Enable.
Spare 3.	Spare 4
Type 0 Dly Enable. . .	Spare 2
Det Diag Plan. . . . 0	

Phase Number												
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	.	.	.	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.

TOD Program Steps

Step 3	Program 1	Step Begins	1400
--------	-----------	-------------	------

Flash.	Dimming Enable.
Red Rest	Alt Veh Extension
Spare 5.	Det Log Enable.
Spare 3.	Spare 4
Type 0 Dly Enable. . .	Spare 2
Det Diag Plan. . . . 0	

	Phase Number											
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable	.	X	.	X	.	X	X	X	.	.	.	.
Veh Recall	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit.	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit	.	.	.	.	.	.	.	.	.	.	.	.
Special Function	.	.	.	.	.	.	.	.	.	.	.	.

	A	B	C	D	E	F
Alt Sequence	.	.	.	.	.	.
